

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.







# TEN OAKS NURSERY and GARDENS, Inc.

Clarksville



Maryland

1953



# CONTENTS

Abelia .....	27	Flowering .....	33-34	Philadelphus .....	34
Abies .....	27	Quince .....		Picea .....	30
Acer .....	32	Forsythia .....	33	Pieris .....	30
Amelanchier .....	33			Pine .....	30
Andromeda .....	30	Ginkgo .....	33	Prunus .....	30-34
Arborvitae .....	32			Privet .....	34
Azalea .....	1-26			Pyracantha .....	31
Barberry .....	27-33	Hemerocallis .....	18	Quercus .....	34
Beech .....	33	Hemlock .....	32		
Berberis .....	27-33	Holly .....	28-29-30	Redbud .....	33
Betula .....	33	Honeysuckle .....	34	Retinospora .....	28
Birch .....	33	Hydrangea .....	33	Rhododendron .....	31
Boxwood .....	27	Hypericum .....	34	Roses .....	35
Buxus .....	27				
		Ilex .....	28-29-30		
Cercis .....	33			Shadbush .....	33
Chamaecyparis .....	28	Japanese Flowering .....	34	Snowball .....	35
Cherry Laurel .....	30	Cherries .....		Sorbus .....	35
Chrysanthemum .....	26	Japanese Holly .....	29	Sourwood .....	34
Cornus .....	33	Judas Tree .....	33	Spirea .....	35
Cryptomeria .....	28	Juniperus .....	30	Spruce .....	30
Cydonia .....	33			Sweetgum .....	35
				Syringa .....	34-35
Daylily .....	18	Leatherleaf .....	32		
Deciduous Trees .....	32	Ligustrum .....	34	Taxus .....	31-32
Deciduous Shrubs .....	32	Lilac .....	34-35	Thuja .....	32
Deutzia .....	33	Liquidambar .....	34	Tsuga .....	32
Dogwood .....	33	Lonicera .....	34		
				Ulmus .....	35
Eleagnus .....	28	Magnolia .....	30-34		
Elm .....	35	Malus .....	34	Viburnum .....	32-35
Euonymus .....	28	Maple .....	32		
Evergreens .....	26	Mockorange .....	34	Weigela .....	35
		Mountain-ash .....	35		
Fagus .....	33			Yew .....	31-32
Fir .....	27	Oak .....	34		
Firethorn .....	31	Oxydendrum .....	34		
Flowering .....	34	Orchids .....	25-26		
Crab .....		Osmanthus .....	30		
Cherry .....					

# *Azaleas*

## THEIR DESCRIPTION, CLASSIFICATION AND CULTURE

Also in the following pages—

CHRYSANTHEMUM — HOLLY — ORCHIDS

RHODODENDRON — YEWS

PLUS NUMEROUS OTHER EVERGREENS, TREES AND SHRUBS



TEN OAKS

ANDREW N. ADAMS      ANDREW N. ADAMS, JR.

THOMAS T. ADAMS

Phone — Clarksville 650-J

**TEN OAKS NURSERY & GARDENS**

Incorporated

CLARKSVILLE, MARYLAND



## *Save Up To 40%*

by planting yourself. We are open seven days a week during the planting season in Spring and Fall as many people do their own planting and can only get off on Saturdays and Sundays. If you feel you cannot plant yourself we will do it for you at an additional 40% to all prices in the catalog. This 40% includes composted soil under your plants, fertilized, and mulched with Peat Moss. Also this includes a guarantee against our workmanship and plant defects for a period of 90 days. The above applies to a minimum order of \$25.00 within a 30 mile radius of the Nursery.

Local Deliveries for customers living within approximately 30 miles of our Nursery on days we have deliveries in that particular direction and if the size of the order warrants it. DELIVERIES OUTSIDE of 30 mile area at cost.

For those customers planting for themselves we have Prepared Compost bagged, and Baled Canadian Spagnum Peat Moss available at current prices. Also we carry a balanced Azalea Food, Acid forming (10-10-10) in the Spring. DO NOT FEED AFTER JUNE 15th.



## Successful Culture For All Acid Loving Plants

**SOILS AND ITS PREPARATION**—Soils good for growing azaleas and their companions occur naturally in many places; in fact, it is borne out that by far the greater proportion will produce good plants with little preparation. Where soils are not suitable, there is usually no great difficulty in making them so without much trouble or expense. Soils suitable for azaleas should be in good mechanical condition, open and friable; it should be acid, well drained, moist, and furnished with organic matter in quantities.

All that is necessary in preparing for the planting is to see that drainage is adequate—where water does not stand on top of the ground for hours after a rain-storm is generally a well-drained place. Next is to see that the soil is proper; for the very best results, we dig the hole that is to receive the plant **twice as deep and twice as wide** as the nursery ball on the plants, then cart away all the soil and make up the soil that we are going to plant the plants with, as follows: **one part peat moss, one part coarse sand, one part good garden soil**, mixing with this, half a handful of cottonseed meal, or a good special azalea fertilizer, not both. When this is thoroughly mixed, use it to plant your plants with entirely, both under and around the plant, watering well as you fill with soil to the level of the ball; never plant deeper than it was in the nursery. If your soil is sandy, leave out sand in your mixture; if your soil is sticky clay, make your hole larger, so you may have a larger amount of the proper soil mixture around your plant. When the plants are completely planted and thoroughly watered, mulch the top of the ground with four or five inches of peat moss to keep the ground cool, moist, and acid; add to this mulch every Spring and Fall to keep it at this level. Never use lime or allow lime to be used on or near any of these plants. It may mean their death. Well decayed oak leaves, not maple, may be used in place of peat moss if it is handy.

**PLANTING BROAD LEAF EVERGREENS**—It is easy to plant and at almost any time of the year, except when there is too much frost in the ground, but when you dig them or bring them home from the nursery, get them back into the soil as soon as possible; never let the roots dry out. If you plant in hot or dry weather, it is very wise to shade the plants as well as water for a few weeks until they are well established. The distance apart to plant will depend upon the type you buy; always ask for that information or study the descriptive list.

**CULTURE AND CARE**—Because the greater mass of roots is found in the top few inches of soil, cultiva-

tion with hoe is not advisable. You will not only cut the roots, but disturb the mulch of peat moss that we advised you to keep around the plants at all times. Pull any weeds that grow by hand, and shake off the peat that clings to their roots. Water heavy during July and August for your azaleas and rhododendron are making buds at that time for the following year. If your water comes from a deep well, and you are in a limestone country, add a little sulphur to your soil every Spring and Fall. Much damage is done by sunshine following a night of low temperature. This can be prevented by shading in the late Fall and Winter with burlap on stakes, lath frames, pine branches, or trimmings from your evergreens. **It is important not to feed after June 15th, so as plants will harden up in late summer for the coming winter.** Protect all small plants the first winter, with fruit baskets or burlap from winds. A cold frame is still better. A plant is rarely killed after it has become acclimated.

**ABOUT BANDED PLANTS**—All our 2"-4" plants for the first time this year are grown in a Cypress Plant Band in pure peat so they handle and ship perfect in our new special box. The plants keep on growing in transit and don't have to be rushed into the ground upon arrival. Do not be dismayed if band is somewhat decayed, it means the roots have made a heavy growth. When ready to plant just give the band a twist and off it comes. Water in the plant well and mulch heavy and keep mulched. Also protect all small plants in the winter from wind and sun and in the summer from the sun by a lath shade or something similar. For best results protect the first two years.

**FEEDING**—Use only special fertilizers, made by all the reliable firms, for Broadleaf Evergreens only, or cottonseed meal is excellent food. Sprinkle lightly around each plant out to the furthest branch and water heavy at once, twice a year, March and late May or June. Do not disturb the mulch by hoeing or raking the food into the soil.

**PRUNING AZALEAS AND RHODODENDRONS**—Little pruning is needed for garden azaleas other than to keep the long unsightly shoots off and a regular shaping up according to taste, but all pruning must be done before June 15th, or better still, just after the last flowers have died in the Spring. Christmas is a good time to prune all Holly. Keep Yew pruned heavy twice each year. Mid summer and Mid winter.

**PESTS AND DISEASES**—Healthy plants that have been well fed and watered have few pests, but if you have neglected the above, here are a few that you may



have to put up with. **White-fly, Lacebug, Leaf Minor, Scale, Thrips, and Red Mites**—are the most common insects to contend with, and these can be controlled by spraying just as soon as the danger of over-night freezing has passed and before plants have blossomed. The material to use for this purpose is 1½ teaspoons 20% Vaportone plus 1½ teaspoons 25% D.D.T. emulsion mixed with one gallon of water or the all in one material Pest-Hex available from us P. P. 1 lb. 2.25 P. P., 5 lb. 8.65 P. P. A second spraying should be applied after blooming or June 15, a third around July 5, and a fourth may be desirable around August 5. Use a forceful mist and direct under the leaves. **Chlorosis or Yellows**—Dissolve one ounce Epsom salts in two gallons water and sprinkle over the plant and soil thoroughly; two weeks later use one ounce of iron sulphate to two gallons of water the same way, and you will have your plants back to a normal green, if you have kept them well fed and watered. **Fungus Diseases**—Bordeaux or Cuprocide mixtures or Pest-Hex at ten-day intervals take care of most of the fungus.

**AZALEA APPRECIATION**—If you pick your azaleas in the nursery according to their mature growth, you may have many uses for them. They may be used as foundation plantings, naturalistic plantings in light woodland areas, bank or hillside plantings in mass, hedges or boundary plantings, and footings to evergreen or flowering shrub plantings. Planting in mass always gives a better effect. H. H. Hume says in his latest publication, "While azaleas are exacting in their culture requirements, they are not difficult to grow if their needs are met. Careful attention to details at planting time will make their culture easy in after years. They may be transplanted to gardens in any size from plants a few inches to several feet in height. Their beauty of foliage, flowers, and in many varieties their spicy scent sets them aside as superior plants for the house. For the same uses branches in flower are most desirable, and those who are fortunate can have supplies from their own gardens.

"Under conditions that suit them, azaleas are long-lived plants. . . . There are specimens still in fine condition that were planted in 1848. They have added to their stature and bloomed through the years to make each season a scene of great beauty. Many generations of plants of other kinds have come and gone in other gardens in the century of their growth. Azaleas are plants of a human-lifetime span and more.

"Many commonly used broad-leaved evergreen shrubs are valuable mainly because they are evergreen, but in addition to holding their foliage throughout the year, persistent-leaved azaleas are unsurpassed as flowering shrubs. Any garden well designed and furnished with azaleas immediately is lifted out of the commonplace. There are few uses to which other broad-leaved shrubs are adapted that cannot be filled as well by azaleas."

Because of a complete crop failure on some varieties listed in former years; the old timers will miss them in this year's catalog. We are still testing them all and if they prove their worth will be back in this listing at a later date.

**Home Grown.** Unless otherwise noted all plants offered in this list or at our nursery are grown by us here in Howard County at an elevation of 545 feet. We buy in no stock from distant points for resale thus giving our customers every possible advantage of getting a top quality plant that is acclimated.

**Landscape Design.** We would also like to share our twenty-eight years' experience in landscape problems with you. Our Nursery tries to take a personal interest in adding to, or replanting your home. Pencil sketch and estimate furnished with no obligations for this season's planting. We grow many different varieties of Evergreens, Flowering Shrubs, and Shade Trees right here at Ten Oaks. Phone Clarksville 650-J, or visit us near the village of Clarksville in Howard County. It's just off Route 29 at the above village, halfway between Baltimore and Washington. Sign there will direct you. We do our best to make visitors welcome.

Many say it is worth the trip to Ten Oaks just to see the Display Gardens.

We have many varieties of Azaleas and other plants that we do not list because the quantity does not warrant the space.

This is the only catalog we issue. All other items are sold from the Sales Garden or used in Landscape Design work.

**The New Pest-Hex.** We used it this season with very good results so we can recommend it to you. We are handling it for the convenience of our customers in 1 lb. and 5 lb. packages. Write for pamphlet on Pest-Hex if you didn't receive one.

5 lb. Pkg. 8.65 P.P.

1 lb. Pkg. 2.25 P.P.

## The Glenn Dale Azaleas

These new and beautiful hybrid azaleas were originated by Mr. B. Y. Morrison, and introduced by The Division of Plant Exploration and Introduction Department.

We say, a greater piece of work has never been done for the thousands of people who love azaleas but became discouraged from growing them after a severe cold night followed by a hot day in the late Fall or Spring killed many of their pets.



The Glenn Dale Azaleas, (1) were bred for hardiness in this area of changeable climate, and we have already noticed the lack of bark rupture and bud kill; (2) they were bred for large and varied-colored flowers, and certainly have both, for flowers from two to four inches across are common, and a few come larger; (3) they have been bred for more uses. Their mature growth may be 1 or 2 feet or it may be 6 to 8 feet, enabling us to use them to advantage in many more landscape problems; (4) many gaps have been filled in the azalea-blooming period. We may have Glenn Dales from the middle of April until June in almost a continuous stream of bloom. It is evident if this work of Mr. Morrison's continues, azaleas will be available in years to come that we have never dreamed of. Try a few of the new releases each year and keep your interest with them. We have found, that all Glenn Dale Azaleas are hardy after they get some size and have become acclimated to your area. Protect and care for your young plants, the first winter or two, and they will pay you dividends. Read pages 5, 6 and 7 again.

## Glenn Dale Hybrid Azaleas

### Descriptions by B. Y. Morrison:

Mr. Morrison's descriptions are the **only true descriptions** of the Glenn Dale Azaleas. They follow word for word as submitted to us.

**P.I. 141770—Alabaster.** Broad spreading habit to about 5 feet. Leaves dark green. Flowers 2 to 4 in head, often grouped, 2 to 2½ inches across, irregularly hose-in-hose, white with very few flakes of spinel pink. Garden effect white. **Mid-April, early May.** 1940 Release.

2 to 4 inch only, .50

**P.I. 160126—Aladdin.** Very erect habit as in Kaempferi and almost as deciduous. Flowers 1 to 2 in a head, but heads sometimes grouped, general color effect is light salmon pink, color geranium pink, white at base of tube, blotch not conspicuous, few dots of rose color. **Mid-April.** 1949 Release.

2 to 4 inch only, .50

**P.I. 163824—Altair.** Bush habit rather broad spreading, but probably not over 4 ft. Leaves dark green. Flowers very round in outline, 1 to 3 in a head, 3 inches across, white with very few dots rather than flakes of rose-purple. Cut out all branches that sport to purple flowers. **Mid-May.** 1950 Release.

2 to 4 inch, .50  
8 to 10 inch, 1.75

**P.I. 163899—Ambrosia.** Erect and somewhat spreading habit to 8 ft. Leaves medium green, semi-pubescent. Flowers 2 to 5 in a head, 1¾ to 2 inches across. Begonia pink becoming with age pale apricot in effect. Very distinct color. **Mid-April.** 1949 Release.

2 to 4 inch only, .50

**P.I. 141900—Anchorite.** Erect to broad spreading to 4 feet. Leaves dark green. Flowers 1 to 2 in head, very freely produced, 2 inches across, rose pink with an undertone of orange. **Late April.** 1940 Release.

2 to 4 inch, .50  
10 to 12 inch, 2.25

**P.I. 141805—Andros.** Erect to broad spreading to over-arching, 5 to 6 feet. Leaves evergreen, medium size. Flowers double usually 2 to 4 in head, freely produced, 2 to 2½ inches across, pure mallow pink. The great beauty of this variety lies in the early bud stages when blossoms resemble rosebuds. **May.** 1949 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 163960—Angela Place.** Bush habit broad spreading, but possibly up to 4 feet. Leaves dark glossy green. Flowers 2 to 4 in a head, 3 inches across, pure white, almost no blotch, wide open flowers, almost florist's azalea in form. **Early to mid-May.** 1949 Release.

2 to 4 inch only, .50

**P.I. 163766—Antique.** Bush habit tends to be broad spreading, but ultimate height not yet determined, probably not over 5 feet. Leaves dark green. Flowers 2 to 3 in head, 2¾ to 3 inches across, pure white with few stripes of Phlox purple. **Mid to late May.** 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 163936—Anthem.** Large, single rose-pink. Morrison description later. 1949 Release.

2 to 4 inch, .50  
8 to 10 inch, 1.75  
10 to 12 inch, 2.25

**P.I. 141898—Aphrodite.** Erect to broad spreading with ascending branches to form broad top, not over 4 feet. Leaves dark green. Flowers usually 1 to 2 in head, very freely produced, 2 inches across, pale rose pink, blotch on upper lobe not conspicuous. **Mid-to late April.** 1940 Release.

2 to 4 inch, .50  
10 to 12 inch, 2.25  
12 to 15 inch, 3.00

**P.I. 160053—Arcadia.** Strong, rather erect growth to widely spreading crown to 7 ft. Leaves medium green, moderate size. Flowers usually 2 to 3 in a head, 3 inches across, somewhat funnel-shaped, between deep rose pink and rose color. Spots of blotch tyrian rose, showy, anthers brown and filaments tyrian rose. **Late April.** 1949 Release.

2 to 4 inch, .50  
8 to 10 inch, 1.75  
10 to 12 inch, 2.25

**P.I. 160078—Astarte.** Vigorous, erect to spreading habit to 6 feet. Leaves broad dark green. Flowers usually 3 to 4 in head, 2¾ to 3¼ inches across, white at base of tube, amaranth pink, shading to tyrian pink, blotch showy, tyrian rose. **Mid-April.** 1951 Release.

2 to 4 inch only, .50

**P.I. 160123—Astra.** Vigorous, upright to spreading habit to 5 ft. Leaves narrow, dark green. Flowers usually 2 to 3 in a head, 2½ to 3 inches across, almost white at base of tube, between mallow purple and tyrian pink. Blotch conspicuous, amaranth purple. Flower very round and lobes well imbricated. **Late April.** 1949 Release.

2 to 4 inch only, .50

Keep lime away from Azaleas.

Buy the new book "Azaleas" by H. H. Hume.



**P.I. 163771—Ave Maria.** Bush habit tends to low, broad spreading. Leaves dark green. Flowers 2 to 3 in a head, 2½ to 3 inches across, white ground, greenish-yellow blotch, sanded or flaked with Phlox purple, margins ruffled. Mid to late May. 1950 Release.

2 to 4 inch, .50  
4 to 6 inch, .90  
10 to 12 inch, 2.25

**P.I. 163906—Aztec.** Broad spreading growth with somewhat ascending branches and somewhat open habit while young, to 3 feet. Leaves medium green, not shining. Flowers 1 to 2 in head, 3 inches across, fine form, between rose doree and peach red in color, blotch heavy, dots of rose red. Some tendency to sport to white zone at base. Late May, early June. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 160115—Bagatelle.** Rather open, erect growth to 7 feet. Foliage medium green. Flowers usually 3 to 5 in head, 2¾ to 3¼ inches across, a little white at base of tube, begonia rose washed with rose doree, sinuate margins, blotch not showy, of tyrian rose dots. Late April, early May. 1951 Release.

2 to 4 inch only, .50

**P.I. 163985—Bagdad.** Vigorous rather upright habit to 5 feet. Leaves dark, evergreen, medium size. Flowers 2 to 4 in head, heads sometimes clustered, 2½ to 3 inches across, slightly darker than rose pink with blotch of tyrian rose. Early to mid-May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 163778—Baroque.** Bush broad spreading but probably never over 5 feet. Leaves rather narrow, dark green. Flowers 1 to 3 in head, 1¾ inches across, white ground with great variation in degree of striping; some flowers sanded, phlox purple. Mid-to late May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 160085—Beacon.** Erect to eventually overarch-growth to 5 ft. Leaves rather narrow, dark green. Flowers usually 2 to 3 in a head, 1¾ to 2 inches across, somewhat starry. Flowers almost pure rose doree, but in effect nearly pure red. Mid-April. 1948 Release.

2 to 4 inch only, .50

**P.I. 160120—Bishop.** Rather erect growth to 5 ft. eventually with broad top. Leaves not over 2 inches long, dark green. Flowers 2 to 5 in a head, the heads sometimes clustered, 1¼ to 1½ inches across, rather symmetrical, margins waved. A rose color self, as the tyrian rose dots of the blotch count rather as a darkening of hue. There is an underlying tone of yellow that enlivens the color. Anthers dark. Mid to late April. 1949 Release.

2 to 4 inch, .50  
6 to 8 inch, 1.25  
8 to 10 inch, 1.75

**P.I. 160114—Blushing Maid.** Rather open Kaempferi-like habit to 7 feet. Leaves medium green. Flowers usually 3 to 5 in head, 2 to 2½ inches across, almost round, margins sinuate, between thulite pink and spinel pink. Late April, early May. 1951 Release.

2 to 4 inch, .50  
8 to 10 inch, 1.75

**P.I. 163847—Boldface.** Bush habit rather broad spreading, but probably never much over 4 feet. Leaves medium green. Flowers 1 to 3 in head, 3 inches across, frilled, white center, pale phlox purple margin, red blotch. Cut out all branch sports reverting to solid color. Mid-May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 163928—Bolivar.** Spreading habit to 4 ft. Leaves dark green. Flowers 1 to 2 in a head, freely produced, 2¾ inches across, broad lobes, deep rose pink, blotch made up of distinct small dots of tyrian rose that give effect of a color stain. Mid to late May. 1949 Release.

2 to 4 inch only, .50

**P.I. 163807—Bonanza.** Bush habit rather broad spreading, but probably not over 4 feet. Leaves dark green. Flowers 1 to 3 in head, 2½ inches across, mallow purple with tyrian rose blotch, brilliant. Mid-May. 1951 Release.

2 to 4 inch only, .50

**P.I. 160009—Bopeep.** Rather erect to 5 feet, eventually spreading to 4 feet in diameter; leaves medium green. Flowers 2 to 4 in head, heads sometimes clustered, single, 2 to 2½ inches across, white tinted margins. The color tint is a little paler than rose pink. Dots in the blotch are deep rose pink. Blotch not solid but lateral from central axis and passing to side lobes. Carries in garden as tinted white. Early flowering like its sister seedlings Dayspring and Caress. Early to Mid-April. 1951 Release.

2 to 4 inch only, .50

**P.I. 163956—Bountiful.** Bush habit rather broad spreading, but probably will reach 4 ft. in height. Leaves medium green, hairy. Flowers 1 to 3 in a head, 3 inches across, frilled, phlox purple, with blotch of tyrian rose dots. (Phlox purple is a lavender pink.) Early to mid-May. 1949 Release.

2 to 4 inch, .50  
6 to 8 inch, 1.25

**P.I. 141903—Buccaneer.** Erect to tall spreading to 5 feet. Leaves medium green. Flowers 2 to 4 in head, freely produced, 2 inches across, a brilliant orange red with darker tone on upper lobe. Mid-April. Sunburns in the open. 1940 Release.

2 to 4 inch only, .50

**P.I. 160003—Burgundy.** Vigorous, upright growth, becoming spreading with age, to 6 feet. Leaves dark green. Flowers 2 to 3 in head, 2 inches across, rose doree darkening to nopal red on margins, heavy blotch of tyrian rose on upper lobes; carries as deep brownish red. Mid-April. 1951 Release.

2 to 4 inch only, .50

Don't plant an Azalea next to a big tree.

Azaleas like plenty of water.



**P.I. 163884—Cadenza.** Bush habit low and broad spreading but probably up to 4 ft. Leaves medium green. Flowers 1 to 3 in a head, 2 inches across, extremely variable in the same plant. The original seedling plant is a ruffled white, lightly and irregularly flaked with few stripes of Magenta. This is the type propagated. These, like the parent, may throw out self-colored blooms of Rosolane Purple, at times with white center, that should be cut out. Mid to late May. 1950 Release.

2 to 4 inch, .50  
8 to 10 inch, 1.75

**P.I. 160037—Capella.** Erect, rather stiff growth, eventually filling into dense habit, to 6 feet. Foliage light green. Flowers usually 2 to 3 in head, heads sometimes clustered so that a rhododendron-like mass of 14-15 flowers appears; irregularly hose-in-hose, 2 to 2½ inches across; white with rare flakes of Matthew's Purple; very showy. Mid-April. 1951 release. Available 1953.

2 to 4 inch only, .50

**P.I. 160020—Captivation.** Bush broad spreading to eventually over-arching to 5 ft. Leaves dark green, glossy, bronzed in Winter. Flowers 2 to 4 in a head, heads often grouped, 1¼ to 2 inches across, almost perfectly regular hose-in-hose, between Eosin Pink and Begonia Rose, blotch showy of small dots of Tyrian Rose, pistil scarlet, base of tube nearly white. Late April, early May. 1950 Release.

2 to 4 inch only, .50

**P.I. 141776—Carmel.** Tall to eventually spreading habit but not over 5 feet. Leaves medium green. Flowers 1 to 3 in head, freely produced, 2 inches across, spinel red with blotch of Indian red dots; carries in garden effect as a brownish red. Mid-April. Earlier than Burgundy; larger flowers. 1940 Release.

2 to 4 inch, .50  
4 to 6 inch, .90  
10 to 12 inch, 2.25

**P.I. 160068—Cavalier.** Bush habit almost like that of many Kurume clones, up to 6 ft. Leaves moderate size, broad ovate. Flowers 2 to 4 in a head, frequently grouped, 1½ to 1¾ inches across, very regular, Kurume type, a little more orange than rose doree. Mid-April. 1949 Release.

2 to 4 inch only, .50

**P.I. 163791—Cavatina.** Bush habit rather broad spreading, but probably never over 5 feet. Leaves medium green. Flowers 1 to 3 in head, 2¾ to 3¼ inches across, white striped with phlox purple. Mid- to late May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 163825—Chameleon.** Bush habit rather broad spreading, but probably not over 4 ft. Leaves dark green. Flowers very round in outline, 1 to 3 in a head, 3 to 3½ inches across, white, yellow blotch, with few stripes of Rosolane Purple. Mid-May. 1950 Release.

2 to 4 inch, .50  
6 to 8 inch, 1.25

**P.I. 163872—Chanticleer.** Bush habit dense and twiggy, but probably making up to 5 feet in time. Leaves dark green. Flowers 2 to 4 in head, 2 inches across, very abundantly produced, amaranth purple but with more rose red on tube than Campfire, a very brilliant effect. Mid-May. 1951 Release. Available 1953.

2 to 4 inch, .50  
6 to 8 inch, 1.25

**P.I. 160049—Chloe.** Growth similar to but better than *R. Nucronatum* ("Indica alba"), to 5 feet. Leaves medium green, somewhat pubescent. Flowers usually 2 to 3 in head, 2¾ to 3 inches across, margins ruffled, brilliant color, tyrian rose with inconspicuous blotch of rose color dots. Mid-April. 1951 Release. Available 1953.

2 to 4 inch, .50  
6 to 8 inch, 1.25

**P.I. 160094—Clarion.** Erect but somewhat open growth while young, filling in later to 8 feet. Leaves medium green, not heavy. Flowers usually 2 to 3 in head, 2¾ to 3 inches across, between rose doree and scarlet red, blotch inconspicuous with dots of tyrian rose, orange tone at base of tube. Mid-April. 1951 Release.

2 to 4 inch only, .50

**P.I. 163839—Cocktail.** Bush habit very compact and dense, but gradually building up to perhaps 5 feet. Leaves deep green, glossy. Flowers 1 to 3 in head, abundant, 2 inches across, white with eugenia red stripes and some sports. Mid-May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 160112—Colleen.** Rather open Kaempferi-like habit to 7 feet. Leaves medium green. Very floriferous; flowers usually 3 to 10 in head, 2 inches across, geranium pink, blotches variable. Late April, early May. 1951 Release.

2 to 4 inch only, .50

**P.I. 163832—Commando.** Bush habit broad spreading, but probably not over 5 ft. Leaves medium green. Flowers 2 to 4 in a head, freely produced, 2 to 2½ inches across, rose purple, rose blotch. Mid-May. 1950 Release.

2 to 4 inch, .50  
6 to 8 inch, 1.25

**P.I. 160111—Commodore.** Rather spreading growth to 4 feet. Foliage dark green, narrow. Flowers usually 2 to 4 in head, 2¾ to 3 inches across scarlet red, with heavy blotch of almost confluent dots of amaranth purple. This carries as deep crimson. Late April, early May. 1951 Release.

2 to 4 inch, .50  
6 to 8 inch, 1.25

**P.I. 163940—Con-Amore.** Growth dense, rather spreading with ascending branches up to 5 ft. Leaves up to 2 inches long, fairly dark green. Flowers 1 to 2 in a head, 2½ to 3 inches across, excellent form with rounded, imbricated lobes, between deep rose pink and rose color, lighter at margins, blotch not showy, few dots of rose color. Mid to late April. 1949 Release.

2 to 4 inch only, .50

Don't fertilize Azaleas in the Summer and Fall.

Azaleas like Oaks; they don't like Maples.



**P.I. 160106—Concordia.** Bush erect with ascending branches to 5 feet. Leaves long and narrow, somewhat hairy; medium green. Flowers 2 to 3 in head, 2 inches across, general effect bright pink, a little deeper than deep rose pink, dots in blotch tyrian rose but not showy, a little yellow at base of tube. Mid-April. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 163772—Consolation.** Bush broad spreading, probably not over 5 feet. Leaves dark green. Flowers 1 to 3 in head, 2½ to 3 inches across, white with pale amparo violet stripes, margins ruffled. May give occasional light phlox purple sport with light center. Mid to late May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 160089—Constance.** Vigorous, erect, somewhat spreading growth to 6 ft. Leaves narrow, medium green. Flowers usually 2 to 3 in a head, 3 to 3½ inches across. Rose color. The smaller rose red dots that make up the large blotch show chiefly as a darker tone. Late April. 1949 Release.

2 to 4 inch only, .50

**P.I. 160136—Content.** Erect with eventually broad spreading crown to 5 ft. Leaves medium dark green, broadly obovate and glossy. Flowers 2 to 4 in a head, 2¾ to 3 inches across, of very fine form with imbricated lobes. Pale amparo purple with very few dots of tyrian rose at base of upper lobe. Very pure, clear color. Sister seedling to Glacier. Late April, early May. 1949 Release.

2 to 4 inch only, .50

**P.I. 163927—Copperman.** Growth dense, spreading to 4 ft. Foliage dark green, rather narrow leaves. Flowers 1 to 2 in a head, 2¾ to 3 inches across, rather flat faced, good substance and splendid form with broad overlapping lobes, begonia rose, shaded almost pure orange, blotch conspicuous but most like a heavy wash of rose color, dots not visible. Mid to late May. 1948 Release.

2 to 4 inch only, .50

**P.I. 160017—Coralie.** Erect to eventually overarching growth to 5 ft. Fine narrow dark green leaves. Flowers usually 2 to 4 in a head, 1½ to 2 inches across, somewhat irregularly hose-in-hose. Eosin pink, flushed rose doree, with conspicuous Tyrian rose blotch, carries as brilliant deep salmon pink. Early May. 1948 Release.

2 to 4 inch, .50  
10 to 12 inch, 2.25  
12 to 15 inch, 3.00

**P.I. 163819—Coral Sea.** Bush habit broad spreading, probably not over 4 ft. Flowers 1 to 3 in a head, freely produced, usually not over 2½ to 3 inches across, between pale Amaranth Pink and Amaranth Pink with few but very distinct Tyrian Rose dots in blotch, which is showy. Mid-May. 1950 Release.

2 to 4 inch only, .50

**P.I. 163818—Cordial.** Bush habit broad spreading, probably not over 4 ft. Leaves medium green. Flowers 2 to 4 in a head, 2½ to 3 inches across, Spinel Pink, Spinel Red blotch, frilled margins of lobes. Mid-May. 1950 Release.

2 to 4 inch, .50  
6 to 8 inch, 1.25  
12 to 15 inch, 3.00

**P.I. 160138—Corsair.** Vigorous upright growth to 5 ft. Leaves medium green. Flowers usually 2 to 3 in a head, 2½ inches across. Very brilliant in effect. Nopal red, with large blotch made up of small dots of Tyrian rose, that give a brownish effect over the Nopal red. Late April. 1948 Release.

2 to 4 inch, .50  
6 to 8 inch, 1.25  
12 to 15 inch, 3.00  
15 to 18 inch, 4.00

**P.I. 163910—Cranford.** Spreading growth with long ascending shoots particularly while young, to 3 feet. Leaves medium green. Flowers 1 to 2 in head, 3 inches across, deep rose pink, the blotch not conspicuous because of dots only slightly darker than tone. Late May, early June. 1951 Release.

2 to 4 inch only, .50

**P.I. 163842—Cream Cup.** Bush habit very compact and dense, gradually building up to perhaps five feet. Leaves dark green, glossy. Flowers 1 to 3 in head, very abundant, 2 inches across, white so heavily suffused with chartreuse that the flower carries in garden effect as a creamy yellow; few red flakes. Mid-May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 163901—Cremona.** Broad spreading bush to 4 ft. Leaves dark green, shining. Flowers usually 1 to 2 in a head, freely produced, 3 inches across, margins of lobes somewhat waved. Rose color with dots of blotch amaranth purple. Tube lighter at base, somewhat yellowish that makes a more vivid rose-colored effect. Mid to late May. 1949 Release.

2 to 4 inch, .50  
8 to 10 inch, 1.75

**P.I. 163909—Crusader.** Spreading growth with ascending branches to perhaps 3 ft. Leaves medium green. Flowers usually 1 to 2 in a head, freely produced. Flowers very round, well imbricated, flat, 2¾ inches, geranium pink with showy blotch of rose red. Late May, early June. 1949 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 163954—Cygnet.** Bush habit very dense and twiggy, but possibly up to 3 or 4 ft. in height. Leaves medium green. Flowers 1 to 3 in a head, very freely produced, to make sheets of bloom, 1½ inches across, white with pale yellow blotch. Early to mid-April. 1949 Release.

2 to 4 inch only, .50

We have seen nothing better than Glenn Dale Azaleas.

Use plenty of water on your Azaleas.



**P.I. 163934—Cytherea.** Bush rather broader than tall, but probably up to 4 ft. Leaves small, dark green. Flowers 1 to 2 in a head, freely produced, very fine form, rose pink. May. 1949 Release.

2 to 4 inch, .50  
6 to 8 inch, 1.25  
10 to 12 inch, 2.25

**P.I. 160031—Damozel.** Erect to eventually overarching habit to 5 ft. Leaves narrow, dark green. Flowers generally 2 to 4 in a head, 2 inches across, irregularly hose-in-hose, geranium pink, heavy blotch of tyrian rose, white at base of tube. Late April, early May. 1949 Release.

2 to 4 inch only, .50

**P.I. 163815—Darkness.** Bush habit very compact and twiggy, probably not over 4 feet. Leaves small, dark green. Flowers 2 to 4 in head, 3 inches across, pompeian red (a brownish red) with heavy carmine blotch. Masses of bloom. Mid-May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 160113—Darling.** Bush rather erect, branches ascending but finally a dense shrub to 5 feet. Leaves medium green, rather broad, somewhat hairy. Flowers 1 to 3 in head, heads sometimes grouped, 2 to 2½ inches across, practically a brilliant rose color self, with very few dots of tyrian rose at base of upper lobe. Fine form. Mid- to late April. 1951 Release.

2 to 4 inch only, .50

**P.I. 141780—Dayspring.** Bush habit, broad spreading, but eventually to 6 feet. Leaves medium green, obovate, somewhat like Kurume varieties. Flowers 2 to 4 in head, usually massed, 1¾ to 2 inches across, center white shading to pale pink in margins. Few chartreuse dots in blotch area. Early to mid-April. 1940 Release.

2 to 4 inch only, .50

**P.I. 4163797—Dazzler.** Bush habit rather broad spreading, but probably not over 3 feet. Leaves dark green. Flowers 1 to 3 in head, 3 inches across, frilled, deep rose pink with rose color blotch. Mid-May. 1951

2 to 4 inch only, .50

**P.I. 141803—Delos.** Erect to spreading, somewhat over-arching habit; like Andros in all details except color of flower. In this case the color is rose pink, a deeper color than that of Andros but just as rose-like in the bud stages, 2½ inches double flowers, freely produced. May. 1949 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 163978—Dowager.** Bush habit low, compact and spreading, but probably up to 4 ft. in time. Leaves dark green, glossy. Flowers 2 to 4 in a head, 3 inches across, white, flaked and striped magenta. Cut out all shoots showing self-colored magenta flowers. Mid-to Late May. 1950 Release.

2 to 4 inch only, .50

**P.I. 163874—Dragon.** Bush habit dense and twiggy, but probably making up to 5 feet in time. Leaves dark green. Flowers 2 to 4 in head, 2 inches across, tyrian rose to rose red, very brilliant and floriferous. Mid-May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 163933—Driven Snow.** Similar to Snowscape but with broader, darker green leaves. Flowers usually 2 to 3 in a head, 3 inches across, widely opened. Pure White, late midseason, to 6 feet. End of May. 1949 Release.

2 to 4 inch only, .50

**P.I. 163783—Egoist.** Bush habit broad spreading, but probably never over 5 feet. Leaves dark green. Flowers 1 to 3 in head, 2½ to 3 inches across, a very fine white with a few stripes and much sanding of phlox purple. Cut out any branch sports of purple color. Mid to late May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 163923—Elizabeth.** Spreading habit to 4 ft. Leaves dark green. Flowers 1 to 2 in a head, freely produced, 3 inches across, begonia rose, with very heavy blotch, almost like a stain of Tyrian rose. Mid to late May. 1949 Release.

2 to 4 inch only, .50

**P.I. 160013—Emblem.** Growth habit with rather erect branching, bush up to 6 feet. Leaves dark green. Flowers 1 to 3 in head, heads somewhat grouped, 1¾ to 2 inches across, regular in form, between scarlet red and scarlet. Blotch rose red but not conspicuous counting as deep shading. Late April. 1951 Release.

2 to 4 inch, .50  
6 to 8 inch, 1.25

**P.I. 163802—Eucharis.** Bush habit, rather broad-spreading, but possibly not over 3 ft. Leaves medium green. Flowers 2 to 3 in a head, 3 inches across, frilled, white with chartreuse blotch. Mid-May. 1950 Release.

2 to 4 inch, .50  
6 to 8 inch, 1.25

**P.I. 160032—Evensong.** Erect to gradually overarching habit to 5 ft. Leaves narrow, dark green. Flowers usually 2 to 3 in a head, 1¾ to 2¼ inches across, somewhat starry, rose color, blotch Tyrian rose but not conspicuous. Late April to mid-May. 1949 Release.

2 to 4 inch only, .50

**P.I. 163953—Everest.** Bush habit broad and rather spreading, but may reach up to 5 ft. in height. Leaves medium green. Flowers 1 to 3 in a head, 2 inches across, white, pale chartreuse blotch. Very floriferous. Early to mid-May. 1949 Release.

2 to 4 inch only, .50

**P.I. 160075—Fairy Bells.** Vigorous, upright to spreading habit to 6 ft. Leaves broad, dark green. Flowers usually 2 to 4 in a head, 2 to 2½ inches across, hose-in-hose, pendant like a Christmas Cactus. Spinel pink, with a few dots of Tyrian rose. Mid-April. 1949 Release.

2 to 4 inch, .50  
6 to 8 inch, 1.25



**P.I. 160117—Faith.** Habit much like that of *R. Kaempferi*—almost deciduous. Flowers 2 to 3 in head, 3 inches across, deep rose pink with few dots of rose color at base of upper lobe, very fine form rounded and well imbricated. The whole color value lightens as flower matures and one notes yellow tone at base of tube. Early April. 1951 Release.

2 to 4 inch only, .50

**P.I. 163914—Fakir.** Spreading habit with ascending branches to 4 ft. Leaves medium to dark green. Flowers 1 to 2 in a head, freely produced, 3 inches across, very flat, with rounded lobes, rose color but with a yellow undertone, blotch conspicuous, made up of heavy, almost confluent dots of amaranth purple. Mid to late May. 1949 Release.

2 to 4 inch only, .50

**P.I. 160021—Fanfare.** Erect to eventually over-arching habit to 5 ft. Leaves narrow, dark green. Flowers usually 2 to 4 in a head, 1¾ to 2 inches across, somewhat irregularly hose-in-hose, eosin pink, blotch of rose red covers upper lobe and half of each adjoining. Late April, early May. 1949 Release.

2 to 4 inch, .50  
6 to 8 inch, 1.25

**P.I. 141788—Fashion.** Erect to eventually over-arching habit to 6 feet. Leaves small, glossy, dark green. Flowers usually 2 to 4 in head, 2 inches across, almost perfect hose-in-hose, begonia rose with heavy blotch of tyrian rose, anthers dark, blotch is repeated on the petaloid calyx, base of tube almost white. Late April, early May. 1940 Release.

2 to 4 inch only, .50

**P.I. 160035—Favorite.** Erect to eventually over-arching habit, to 5 ft. Leaves small pointed dark green. Flowers usually 2 to 3 in a head, 1¼ to 1½ inches across irregularly hose-in-hose. Geranium pink with heavy blotch of nopal red on upper lobe. The orange undertone of the flowers becomes paler as the flower ages. Late April to early May. 1948 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 160071—F. C. Bradford.** Bush habit compact, broad spreading with ascending branches. Leaves dark green, glossy, narrow. Flowers 2 to 3 in a head, freely produced, 2 to 2½ inches across, rose color to rose red on edge, blotch of Amaranth Purple dots. Flower heads sometimes massed to make Rhododendron-like mass. Late April to early May. One of 1950's finest releases.

2 to 4 inch only, .50

**P.I. 141779—Festive.** Erect and somewhat spreading growth to 6 ft. Leaves medium green, somewhat pointed. Flowers usually 2 to 4 in a head, the heads often clustered. Flowers 2 to 2½ inches across, pure white with no blotch, freely sanded and occasionally striped with dull rose (between spinel red and rose color Ridgeways). Effect from distance is flesh white. Mid April. 1948 Release.

2 to 4 inch, .50  
6 to 8 inch, 1.25

**P.I. 163913—Fountain.** Spreading growth with strongly ascending branches to 3 feet. Leaves medium green. Flowers usually 1 to 2 in head, 3 inches across, lobes somewhat pointed, rose pink with broad blotch made up of somewhat striate lines of rose red. Late May, early June. 1951 Release.

2 to 4 inch only, .50

**P.I. 163931—Freedom.** Growth moderately dense, branches ascending to 5 ft. Leaves narrow, medium green, to 3 inches. Flowers 1 to 2 in a head, 2 inches across, lobes broad but not overlapping, geranium pink, shaded rose doree, blotch conspicuous of small dots of rose color. Late April, early May. 1949 Release.

2 to 4 inch only, .50

**P.I. 163970—Furbelow.** Bush habit broad spreading but probably in time to 5 ft. Leaves dark green, glossy, very floriferous. Flowers 2 to 4 in a head, 2 inches across, white heavily sanded, flaked and with few stripes of Nopal Red, anthers blackish. Cut out any branch showing solid red flowers. Striking. Mid-May. 1950 Release.

2 to 4 inch only, .50

**P.I. 163851—Futurity.** Bush habit rather broad spreading, but probably not over 3 feet. Leaves medium green. Flowers 2 to 4 in head, hose-in-hose, 2½ inches across, general type of Ho-Oden, white with rosolane purple stripes. Mid-May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 141910—Gaiety.** Erect to broad spreading to 5 feet. Leaves narrow, dark green. Flowers usually 1 to 3 in head, very freely produced. Color light rose pink with conspicuous blotch of rose red on upper lobes. Early May. 1940 Release.

2 to 4 inch only, .50

**P.I. 163786—Galaxy.** Bush habit broad spreading, but probably never over 5 feet. Leaves dark green. Flowers 1 to 3 in head, 2½ to 3 inches across, white usually with a little sanding of pale phlox purple, rare branch sports phlox purple with white center. Mid to late May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 141774—Geisha.** Tall, erect to spreading habit, but not over 6 feet. Leaves medium green. Flowering abundant, 2 to 4 flowers in head, often massed, 1½ to 2 inches across, white with chartreuse blotch, flaked and striped with livid purple. All self-colored purple branches should be removed. Mid-April. 1940 Release.

2 to 4 inch only, .50

**P.I. 160073—Glacier.** Vigorous, erect to spreading growth up to 5 ft. with very handsome lustrous dark green leaves. Flowers usually are borne 2 to 3 in a head, 2½ to 3 inches across, shining white with a faint green tone. Late April blooming. As fine in quality as some of the "Belgian" Azaleas. 1948 Release.

2 to 4 inch, .50  
6 to 8 inch, 1.25



**P.I. 141908—Glamour.** Erect to broad spreading, to 5 feet. Leaves narrow, dark green. Flowers usually 1 to 3 in head, very freely produced. Color a very brilliant rose red. Mid-April to early May. 1940 Release.

2 to 4 inch only, .50

**P.I. 160116—Gorgeous.** Erect to spreading to 5 ft. Leaves broad, medium green, soft, somewhat rough hairy. Flowers 3 to 4 in a head, over 4 inches across, flat faced, very showy, a little paler than begonia rose with heavy blotch extending to all three upper lobes, made up of clean arch-shaped mark of rose red. Mid-season. 1949 Release.

2 to 4 inch only, .50

**P.I. 160028—Gracious.** Erect to eventually overarching habit to 5 ft. Leaves heavy, dark green. Flowers usually 2 to 6 in a head, 2 inches across, between Tyrian pink and rose color, blotch heavy Tyrian rose. Brighter than P.I. 160032. Late April, early May. 1949 Release.

2 to 4 inch only, .50

**P.I. 163981—Grandam.** Bush habit low and twiggy, possibly reaching 3 ft. in time. Leaves dark green. Flowers 1 to 3 in a head, 3 inches across, ruffled margins. White with very little sanding and a few stripes of liseran purple. Mid-May. 1949 Release.

2 to 4 inch only, .50

**P.I. 163779—Guerdon.** Bush low and broad spreading, probably not much over 2 feet. Leaves dark green. Flowers 1 to 3 in head, 2½ to 3 inches across, many with 6 lobes, light mallow purple, tyrian rose blotch, orange tube. Mid- to late May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 163794—Harbinger.** Bush habit rather broad spreading, but probably not over 3 feet. Leaves dark green. Flowers 1 to 3 in head, very brilliant color, 3 inches across, frilled margins, rose color with tyrian rose blotch, yellow tone at base of tube. Mid-May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 163961—Helen Close.** Bush habit very dense and twiggy, forming rounded crown as in Belgian Azaleas, to 4 ft. Leaves rather small, dark green. Flowers very abundant, 2 to 4 in a head, 2½ to 3 inches across. White, very pale yellow blotch, fading to pure white. Early to mid-May. 1949 Release.

2 to 4 inch only, .50

**P.I. 163967—Helen Gunning.** Morrison description not received to date. An excellent 3 inch flower light rose pink, almost white center. 1950 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 160016—Illusion.** Dense evergreen bush, upright to spreading to 4 feet. Flowers usually 2 to 3 in head, 2½" across, somewhat starry, Deep Rose Pink with Tyrian Rose blotch. Late April.

2 to 4 inch, .50

10 to 12 inch, 2.25

12 to 15 inch, 3.00

15 to 18 inch, 4.00

**P.I. 160060—Ivory.** Bush habit broad spreading to 5 ft. Leaves medium green, much like those of R. Mucronatum. Flowers 2 to 3 in a head, heads sometimes grouped. The vertical dimension 4 inches is greater than width, 3 inches, pure white, no blotch. Late April but earlier than R. Mucronatum. 1949 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 160077—Jamboree.** Erect, somewhat spreading habit to 5 ft. Leaves medium green. Flowers usually 2 to 3 in a head, 2 to 2½ inches across. Color carries as a little lighter than scarlet red but is not as light as Rose Doree, blotch not conspicuous. Late April. 1950 Release.

2 to 4 inch, .50

6 to 8 inch, 1.25

**P.I. 163965—Janet Noyes.** Bush habit compact and rather twiggy, but probably to 3 ft. in time. Leaves dark green. Flowers 2 to 4 in a head, 2½ inches across, rose color with scarlet tube and throat. Very floriferous and very brilliant. Mid-May. 1949 Release.

2 to 4 inch only, .50

**P.I. 160137—Jeannin.** Bush habit, wide spreading rather than upright, densely twiggy, but eventually up to 5 ft. Leaves medium to dark green. Flowers 1 to 3 in a head, heads often clustered, freely produced, 1¾ to 2 inches across. Mid to late April. Deep Rose. 1948 Release.

2 to 4 inch, .50

6 to 8 inch, .90

12 to 15 inch, 3.00

15 to 18 inch, 4.00

**P.I. 163918—Jessica.** Spreading habit to 4 ft. Leaves dark green. Flowers 1 to 2 in a head, freely produced, 3 inches across. Deep rose pink, blotch made up of few distinct dots of Tyrian rose. Mid to late May. 1949 Release.

2 to 4 inch only, .50

**P.I. 141905—Joya.** Broad spreading to 4 feet. Leaves medium to dark green, somewhat hairy. Flowers 1 to 2 in head, freely produced, 2½ to 3 inches across, rose pink, very brilliant. Makes best show when mature. Late April, early May. 1940 Release.

2 to 4 inch only, .50

**P.I. 141781—Jubilant.** Bush habit dense, twiggy, erect to over-arching to 6 feet. Leaves dark green, narrow, glossy. Flowers 2 to 4 in head, usually massed. 1½ to 1¾ inches across, hose-in-hose, striking salmon pink color (begonia rose). Late April, early May. 1940 Release.

2 to 4 inch only, .50

**P.I. 163921—Kathlee.** Spreading habit to 4 ft. Leaves dark green. Flowers 1 to 2 in a head, freely produced, 2½ inches across, good form, rose doree to lighter, blotch made up of small dots of Tyrian rose over a rose suffusion. Mid to late May. 1949 Release. Available 1953.

2 to 4 inch only, .50



**P.I. 141800—Kenwood.** Bush habit, generally broader than tall, densely twiggy with fine form, up to 5 feet. Leaves medium to dark green, rather narrow. Flowers 1 to 3 in head, heads sometimes grouped, freely produced, 2 to 2½ inches across, double, spinel pink. The garden effect is a deep, tawny rose color. Late April, early May. 1949 Release.

2 to 4 inch only, .50

**P.I. 163792—Killarney.** Bush habit rather broad spreading, but probably never over 5 ft. Leaves medium green. Flowers 1 to 3 in a head, 2¾ to 3¼ inches across, frilled margins, white, chartreuse blotch, with very few phlox purple flakes. Mid to late May. 1950 Release.

2 to 4 inch, .50  
8 to 10 inch, 1.75

**P.I. 163922—Leonore.** Spreading habit to 4 ft. Leaves dark green. Flowers 1 to 2 in a head, freely produced, 2½ inches across. Deep rose pink to almost white at base of tube, blotch made up of shaped dots of tyrian rose. Mid to late May. 1949 Release.

2 to 4 inch only, .50

**P.I. 160083—Litany.** Bush with dense twiggy habit, generally broader than tall, but up to 5 feet. Leaves narrow, dark green. Flowers 1 to 3 in head, freely produced, excellent rounded form, 2" to 2½" across deep lavender pink, heavy amaranth blotch. Late April, early May.

10 to 12 inch, 2.25

**P.I. 163823—Luminary.** Bush habit rather broad spreading, but probably not over 4 ft. Leaves dark green. Flowers very abundantly, 2 to 3 in a head, 2 to 2¾ inches across, carry as a pure salmon color, many with 6 lobes to corolla. Spinel Pink, rose in throat and yellow at base of tube. Mid-May. 2 to 4 inch plants only. 1950 Release.

2 to 4 inch only, .50

**P.I. 141802—Lustre.** Bush erect but somewhat spreading to not over 5 feet. Leaves dark green, glossy, narrow. Flowers usually two in head. 2" to 2½" across, very round and regular in form but lobes not imbricated, practically a self. Rose color. Early May.

2 to 4 inch, .50  
10 to 12 inch, 2.25  
12 to 15 inch, 3.00

**P.I. 163891—Lyric.** Broad spreading rather than tall, to 5 feet. Leaves medium green. Flowers 1 to 3 in head, 2½ to 3 inches across, white with chartreuse blotch. Heads are sometimes grouped so that clusters up to 14 flowers may appear on young shoots. Mid-May. 1951 Release.

2 to 4 inch, .50  
6 to 8 inch, 1.25

**P.I. 160093—Maderia.** Vigorous, erect growth to eventually spreading crown to 7 ft. Leaves medium green, not large. Flowers usually 2 to 3 in a head, 3 inches across, rather funnel-shaped, between deep rose pink and rose color, spots of blotch Tyrian Rose, showy, anthers brown, filaments Tyrian Rose. Late April, 2 to 4 inch plants only. 1950 Release.

2 to 4 inch, .50  
6 to 8 inch, 1.25

**P.I. 163096—Madrigal.** Vigorous, rather spreading bush to 3½ feet, with slender quite evergreen foliage. Flowers usually 2 to 3 in head, 3½" across, pale Rose pink with a blotch slightly deeper in color that extends beyond the uppermost lobe on to the two side lobes. Mid to late April.

2 to 4 inch only, .50

**P.I. 163917—Manhattan.** Spreading habit to 4 ft. Leaves dark green. Flowers 1 to 2 in a head, freely produced, 2½ inches across, rounded lobes, between amaranth pink and Tyrian pink, blotch carries as a stain of Tyrian rose on upper lobe. Mid to late May. 1949 Release.

2 to 4 inch only, .50

**P.I. 163924—Marjorie.** Spreading habit to 4 ft. Leaves dark green. Flowers 1 to 2 in a head, freely produced, 3 inches across with broad, rounded lobes, rose color, with blotch on upper lobe like heavy stain of Tyrian rose, a faint yellow tone at base of tube. Mid to late May. 1949 Release.

2 to 4 inch only, .50

**P.I. 163955—Martha Hitchcock.** Bush habit rather broad spreading, but probably will reach 4 feet in height. Leaves medium green, hairy. Flowers 1 to 3 in head. 3 inches across, white margined with magenta. Cut out all branches sporting to solid magenta. Early to mid-May. 1950 Release.

2 to 4 inch only, .50

**P.I. 163963—Masquerade.** Bush habit compact and twiggy, low spreading, but probably to 3 ft. in time. Leaves dark green. Flowers 2 to 3 in a head, abundantly produced, 2½ inches across, white, sanded, flaked and striped with Tyrian pink. Mid-May. 1949 Release.

2 to 4 inch only, .50

**P.I. 163821—Masterpiece.** Bush rather broad spreading, but probably not over 4 feet. Leaves dark green. Flowers very abundantly produced as in florist's varieties, 2 to 3 in head, 3 to 3½ inches across, amaranth pink, tyrian rose blotch. Mid-May. 1951 Release.

2 to 4 inch only, .50

**P.I. 163977—Memento.** Bush habit very compact and twiggy, spreading, dwarf, probably not over 2 ft. Leaves dark green, glossy. Flowers 2 to 4 in a head, crowded on plant, 2 inches across, white, heavily sanded, flaked and striped liseran purple. Cut out all self-colored flower shoots. Mid-May. 1949 Release.

2 to 4 inch only, .50

**P.I. 163804—Meteor.** Bush habit rather broad spreading, but probably not over 4 feet. Leaves medium green. Flowers 1 to 3 in head, 3 inches across, frilled, between phlox purple and mallow purple, with scarlet tube. Mid-May. 1951 Release. Available 1953.

2 to 4 inch only, .50



**P.I. 163843—Moir.** Bush habit very compact and dense, gradually building up to perhaps 5 feet. Leaves dark green, glossy. Flowers 1 to 3 in head, very abundant, 2 inches across, white, heavily sanded, striped and sectioned with eugenia red. Cut out branch sports of solid red. Mid-May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 160062—Morning Star.** Very erect to slightly spreading habit to 6 ft. Leaves dark green. Flowers 2 to 3 in a head, but massed, 2 inches across, good form, rose color but with a suggestion of yellow undertone that makes color more lively. Mid-April. 1949 Release.

2 to 4 inch only, .50

**P.I. 163853—Niagara.** Bush habit very dense and twiggy, but probably not over 3 ft. Leaves dark green. Flowers 1 to 3 in a head, very floriferous, 2½ inches across, frilled, white with chartreuse blotch, of as fine quality as tender Azaleas. Mid-May. 1950 Release.

2 to 4 inch only, .50

**P.I.—163950—Nocturne.** Bush habit broad and spreading, but may reach up to 5 ft. in height. Leaves medium green. Flowers 1 to 3 in a head, 3 inches across, between Rhodamine Purple and Aster Purple, blotch Tyrian Rose, tubes scarlet, a very brilliant clone. Early to Mid-May. 1950 Release.

2 to 4 inch only, .50

**P.I. 160102—Noreen.** Rather spreading growth to 5 feet, with medium green foliage. Flowers 2 to 5 in head, 1¾ to 2 inches across, very perfect hose-in-hose, slightly deeper than rose pink, blotch mallow purple, anthers dark, almost black. Late April. 1951 Release.

2 to 4 inch only, .50

**P.I. 163944—Novelty.** Bush habit dense and twiggy, but probably will not reach 4 ft. in height. Leaves dark green, glossy. Flowers 1 to 3 in a head, 2 inches across, very freely produced, white chartreuse blotch, lightly shaded and with few stripes of phlox purple. Early to Mid-May. 1950 Release.

2 to 4 inch only, .50

**P.I. 163781—Oriflamme.** Bush habit broad spreading, but probably never over 5 feet. Leaves dark green. Flowers 1 to 3 in head, 2½ to 3 inches across, pale tyrian rose with irregular white margin and upper lobe blotched with dots of tyrian rose. Throws occasional branch sports of pure white and a few purple which should be cut out. Mid to late May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 160041—Padre.** Vigorous, erect growth to 7 feet. Leaves dark green. Flowers usually to 3 in head, 2 to 2¼ inches across, sinuate margins, between liseran purple and pale rosolane purple. Late April. 1951 Release.

2 to 4 inch only, .50

**P.I. 163948—Paladin.** Bush habit broad spreading but may reach 5 ft. in height. Leaves medium green. Flowers 1 to 3 in a head, 2½ inches across, somewhat ruffled, mallow purple. Mid to late May. 1950 Release.

2 to 4 inch, .50  
12 to 15 inch, 3.00

**P.I. 163838—Paprika.** Bush habit very compact and dense, but gradually building up to perhaps 5 feet. Leaves deep green, glossy. Flowers 1 to 3 in head, very freely produced, 2 inches across, white with eugenia red stripes and flakes, green blotch. Cut out all branches that show solid red flowers. Mid-May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 160012—Paradise.** Erect to eventually overarching growth to 5 ft. Leaves dark green, glossy, small. Flowers 2 to 3 in a head, 2 inches across, hose-in-hose, rose doree, with wide blotch of Tyrian rose dots. Late April, early May. 1949 Release.

2 to 4 inch, .50  
8 to 10 inch, 1.75  
10 to 12 inch, 2.25

**P.I. 160104—Peerless.** Vigorous, erect to finally overarching habit to 5 ft. Leaves narrow, dark green. Flowers usually 2 to 4 in a head, 1¾ inches across, irregularly hose-in-hose, geranium pink darkening to center, blotch conspicuous on three upper lobes, almost nopal red. Brilliant. Late April, early May. 1949 Release.

2 to 4 inch only, .50

**P.I. 163941—Peter Pan.** Bush wide spreading and over-arching to 5 ft. Leaves narrow, glossy, dark green. Flowers 2 to 4 in a head, freely produced, 1½ to 1¾ inches across, somewhat starry, deep rose pink, almost white in center, blotch not conspicuous. Late April, early May. 1949 Release.

2 to 4 inch only, .50

**P.I. 163763—Pied Piper.** Bush habit densely twiggy, compact up to 5 ft. Leaves narrow, dark green. Flowers 1 to 3 in a head, heads often grouped, 2¾ to 3 inches across, white, flushed with pale Amaranth Pink, heavy stripes and flakes of Amaranth Pink, dots of blotch Tyrian Rose. Mid-April. 1950 Release.

2 to 4 inch, .50  
4 to 6 inch, .90

**P.I. 160092—Pinkie.** Rather wide branching habit but ascending to 6 ft. Leaves medium green, rather broader than most. Flowers 1 to 3 in a head, abundantly produced, 2¾ inches across, deep rose pink, blotch of Tyrian Rose dots, faint yellow suffusion which makes the color particularly brilliant. End of April, early May. 1950 Release.

2 to 4 inch only, .50

**P.I. 163916—Pink Star.** Spreading habit to 4 ft. Leaves dark green. Flowers 1 to 2 in a head, freely produced, 2½ inches across. Somewhat narrow lobes, begonia rose, with blotch on upper lobe like a stain of Tyrian rose. Mid to late May. 1949 Release.

2 to 4 inch only, .50



**P.I. 163971—Pinnocchio.** Very dense twiggy habit with shelf-like branches in time, up to 5 ft. Leaves dark green. Flowers 1 to 2 in a head, freely produced so as to cover foliage, 2 to 2½ inches across, size somewhat dependant on the number of flowers and moisture, white with stripes of Lacquer Red. Cut out any branches producing self-red flowers. Early to Mid-May. 2 to 4 inch plants only. 1950 Release.

2 to 4 inch only, .50

**P.I. 141787—Pirate.** Erect to finally overarching habit to 6 ft. Leaves small, dark green. Flowers usually 2 to 3 in a head, 1¾ to 2 inches across, irregularly hose-in-hose, a little lighter than scarlet red, with very heavy blotch of nopal red on upper lobe spreading over adjoining two lobes. Late April, early May. 1949 Release.

2 to 4 inch, .50  
8 to 10 inch, 1.75

**P.I. 163795—Polar Sea.** Bush habit rather broad spreading, but probably not over 3 feet. Leaves dark green. Flowers 1 to 3 in head, 3 inches across, frilled white, chartreuse blotch, corolla very flat. Mid-May. 1951 Release. Available 1953.

2 to 4 inch, .50  
8 to 10 inch, 1.75

**P.I. 160052—Prelate.** Bush with strong ascending branches to 6 feet, becoming dense and well filled out when mature. Leaves medium to dark green. Flowers 3 in head, some with six petals, heads sometimes grouped, 2½ inches across, freely produced, deep rose pink, few tyrian rose dots. Late April. 1951 Release.

2 to 4 inch only, .50

**P.I. 163867—Presto.** Bush habit very dense and twiggy, but probably making bush up to 4 feet. Leaves dark green, glossy. Flowers 2 to 4 in head freely produced, 2½" across, white, heavily striped and sanded red between Eugenia red and Acajou red of Ridgway. Mid-May.

2 to 4 inch only, .50

**P.I. 163774—Prodigal.** Bush low spreading, probably never over 3 feet. Leaves dark green. Flowers 1 to 3 in head, 2¾ to 3 inches across, white sanded and striped with phlox purple. There are occasional sports of pale amparo purple, white on edges and with crimson blotch on upper lobe. Mid- to late May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 163957—Progress.** Bush habit very dense and twiggy, but slowly building up to 4 ft. Leaves medium green. Flowers 1 to 3 in a head, 2 inches across, mallow purple darkening to rhodamine purple. Some variation toward white at centers. Stamens far exserted. Early to mid-May. 1949 Release.

2 to 4 inch, .50  
6 to 8 inch, 1.25

**P.I. 160034—Prudence.** Erect to eventually overarching habit, to 5 ft. Leaves dark green, acuminate. Flowers usually 2 to 4 in a head. Late April to early May. 1948 Release.

2 to 4 inch, .50  
8 to 10 inch, 1.75  
10 to 12 inch, 2.25

**P.I. 163827—Punchinello.** Bush habit rather broad spreading, but probably not over 4 ft. Leaves dark green. Flowers 1 to 3 in a head, 3 to 3½ inches across, frilled, white sanded Rosolane Purple, blotch green. Mid-May. 1950 Release.

2 to 4 inch, .50  
8 to 10 inch, 1.75

**P.I. 163800—Radiance.** Bush habit broad spreading, but possibly not over 3 feet. Leaves dark green. Flowers 1 to 3 in head, 3 inches across, frilled, deep rose pink, rose color blotch. Mid-May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 160096—Refulgence.** As compared to most, rather dwarf, twiggy habit, with heavy, dark green, "macrantha" type foliage. Flowers 1 to 2 in head, 1½ to 1¾ inches across, rose color (brighter in effect) with blotch of tyrian rose that appears like deep shading in corolla, faint yellow tinge at base of corolla. Mid- to late April. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 163945—Requiem.** Bush habit dense and twiggy, but probably will not reach 4 ft. in height. Leaves medium green. Flowers 1 to 3 in a head, freely produced, 2 inches across, white, chartreuse blotch, very rare magenta stripes. Early to Mid-May. 1950 Release.

2 to 4 inch, .50  
12 to 15 inch, 3.00

**P.I. 160133—Rising Sun.** Rose red color. Description later.

2 to 4 inch only, .50

**P.I. 160086—Robinhood.** Vigorous, rather upright growth to 5 ft., leaves only semi-evergreen in this climate. Flowers in mid to late April. Usually 2 to 3 in a head, 3½ to 4 inches across. Deep rose red color (Ridgeways Tyrian Purple) with heavy dotting of rather small points to make the upper lobe. Pistil and filaments are scarlet. 1948 Release.

2 to 4 inch, .50  
8 to 10 inch, 1.75  
10 to 12 inch, 2.25  
12 to 15 inch, 3.00  
15 to 18 inch, 4.00

**P.I. 163808—Rogue.** Bush habit rather broad spreading, but probably not over 5 ft. Leaves medium green. Flowers 1 to 3 in a head, 3 inches across, heavy substance, white, chartreuse blotch with a very few fine Mallow purple flakes. Mid-May. 1950 Release.

2 to 4 inch, .50  
8 to 10 inch, 1.75



- P.I. 163919—Rosalie.** Spreading habit to 4 ft. Leaves dark green. Flowers usually 1 to 2 in a head, freely produced, 3 inches across, broad lobe. Alizarin pink washed over with rose doree, blotch of shaped dots of Tyrian rose. Much more brilliant than terms suggest. Mid to late May. 1949 Release.  
2 to 4 inch only, .50
- P.I. 163939—Rose Ash.** Erect to spreading habit, rather open while young, to 4 ft. Narrow dark green foliage. Flowers usually 2 to 3 in a head, 2½ to 3 inches across. Geranium pink passing almost to rose doree. Numerous dots of rose red make up the not very conspicuous blotch. Occasional extra lobe in corolla. Late May, early June. 1949 Release.  
2 to 4 inch only, .50
- P.I. 160135—Rosette.** Vigorous, rather upright growing bush to 4 ft. Leaves a little more than semi-evergreen in this climate. Flowers large, usually 1 to 3 in a head, 3½ to 4 inches across, double, sometimes only semi-double. In the latter case, the stamens bear bits of petaloid tissue. Color: violet red (Ridgeways light roseline purple) with a blotch on the upper lobe almost scarlet in color but not showy as the dots are small. Mid April. 1948 Release.  
2 to 4 inch, .50  
8 to 10 inch, 1.75  
10 to 12 inch, 2.25  
12 to 15 inch, 3.00
- P.I. 163905—Sagittarius.** Broad spreading growth, dense and well branched, but probably not over 2 ft. Leaves very dark green, almost as fine as on boxwood. Flowers usually 1 to 2 in a head, freely produced, 3 inches or more across with broad lobes and slightly waved margins. Fine pink with salmon undertone and white at base of tube, more brilliant than is suggested by the Ridgeway color that lies between La France pink and geranium pink. Dots in blotch very distinct. Tyrian rose. Late May, early June. 1949 Release.  
2 to 4 inch only, .50
- P.I. 141791—Samite.** Vigorous, upright, rather open habit to 7 feet. Leaves medium green. Flowers usually 2 to 4 in head, but heads often clustered. Flowers 2 inches across, irregularly hose-in-hose, pure white. Early April before most whites. 1940 Release.  
2 to 4 inch only, .50
- P.I. 163926—Samson.** Spreading habit to 4 ft. Leaves dark green. Flowers 1 to 2 in a head, freely produced, 3 inches across, broad lobes, rose color with stain of tyrian rose in the blotch area, a faint yellow undertone enlivens all. Mid to late May. 1949 Release.  
2 to 4 inch only, .50
- P.I. 163789—Sarabande.** Bush habit rather broad spreading, but probably not over 5 ft. Leaves medium green. Flowers 1 to 3 in a head, 2¾ to 3 inches across, white center with edges of light phlox purple. Mid to late May. 1950 Release.  
2 to 4 inch only, .50
- P.I. 163809—Satyr.** Bush habit rather broad spreading, but probably not over 5 feet. Leaves medium green. Flowers 1 to 3 in head, 3 inches across, a very good white with mallow purple flakes and an almost yellow blotch. Mid-May. 1951 Release. Available 1953.  
2 to 4 inch only, .50
- P.I. 163938—Scout.** Bush rather broader than tall, but probably up to 5 ft. Leaves medium to dark green. Flowers usually 1 to 2 in a head, freely produced, 2 inches across. Pale Rose. Late April. 1949 Release.  
2 to 4 inch, .50  
8 to 10 inch, 1.75  
10 to 12 inch, 2.25
- P.I. 163837—Seafoam.** Bush habit rather broad but low growing, possibly not over 3 ft. in height. Leaves medium green. Flowers 1 to 3 in a head, 3 inches across, white, frilled, chartreuse yellow in throat. Mid-May. 1950 Release.  
2 to 4 inch only, .50
- P.I. 163915—Seashell.** Spreading habit with ascending branches to 4 ft. Leaves dark green. Flowers 1 to 2 in a head, freely produced, 3 inches across, deep rose pink, almost white at base of tube, blotch not showy. Mid to late May. 1949 Release.  
2 to 4 inch only, .50
- P.I. 160044—Sebastian.** Vigorous, upright to somewhat open growth to 7 ft. Leaves medium green. Flowers usually 2 to 3 in a head, but heads often grouped close together, hose-in-hose, rose color with inconspicuous blotch of Tyrian rose. Early April. 1949 Release.  
2 to 4 inch only, .50
- P.I. 160067—Seneca.** Habit very erect with ascending branches to 6 feet. Leaves rather heavy, medium green, persistent. Flowers 2 to 3 in head, 3 to 3½ inches across, fine form with wide open face, mallow purple, base of corolla white. Mid- to late April. 1951 Release. Available 1953.  
2 to 4 inch only, .50
- P.I. 160140—Sheila.** Erect to ascending branches eventually forming a broad crown to 6 or 7 ft. Leaves medium green, not conspicuously hairy. Flowers 2 to 4 in a head, 3 to 3½ inches across, abundantly produced, palest at center almost to Tyrian pink in margins. Blotch not conspicuous. Late April. 1949 Release.  
2 to 4 inch only, .50
- P.I. 163964—Shimmer.** Bush habit broad spreading, but probably to 5 ft. in height. Leaves medium green. Flowers 1 to 3 in a head, 2 inches across, white, sanded, flaked, striped rose color. Cut out all branches with self rose-colored flowers. Mid-May. 1949 Release.  
2 to 4 inch only, .50
- P.I. 163788—Silver Lace.** Bush habit broad spreading but probably not over 5 ft. Leaves dark green. Flowers 1 to 3 in a head, 2¾ to 3 inches across, a fine large white, green blotch, and a very few true purple stripes. Mid to late May. 1950 Release.  
2 to 4 inch, .50  
6 to 8 inch, 1.25



**P.I. 163883—Silver Mist.** Bush habit low spreading, but probably up to 4 ft. Leaves medium green. Flowers 1 to 3 in a head, 2 inches across, white lightly sanded and flaked, few stripes, pure magenta. This clone throws some magenta self sports that should be cut away. Mid-May. 1950 Release.

2 to 4 inch only, .50

**P.I. 163949—Snowclad.** Bush habit broad spreading but may reach up to 5 ft. in height. Leaves medium green. Flowers 1 to 3 in a head, 3 to 3½ inches across, ruffled margins, white with chartreuse blotches. Mid-May to later. 1950 Release.

2 to 4 inch only, .50

**P.I. 163932—Snowscape.** Erect growth with broad spreading top when mature, to 6 ft. Leaves green, rather narrow and pointed. Flowers generally 3 to 5 in a head, rather trumpet shaped, 2 inches across, greenish white, no blotch. Late midseason after most whites have passed. End of May. 1949 Release.

2 to 4 inch, .50

12 to 15 inch, 3.00

**P.I. 163947—Sonata.** Bush habit, broad spreading and perhaps to 5 ft. in height. Leaves medium green. Flowers 1 to 3 in a head, 2½ inches across, ruffled white, lightly sanded and with a few stripes from Phlox purple to true purple. Occasional branches of self purple flowers that should be cut out. Early to Mid-May. 1950 Release.

2 to 4 inch, .50

4 to 6 inch, .90

**P.I. 163828—Sorcerer.** Bush habit rather broad spreading, very twiggy, but probably not over 4 feet. Leaves dark green. Flowers 1 to 3 in head, 2 inches across, white sanded and striped with rosolane purple. Mid-May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 160015—Souvenir.** Erect to finally over-arching growth to 5 feet. Fine dark green foliage. Flowers usually 2 to 4 in head, 1-1¼" across. Irregularly hose-in-hose, Eosin Pink with Begonia Rose blotch that gives deeper tone to the Salmon Pink effect. Late April.

2 to 4 inch, .50

6 to 8 inch, 1.25

8 to 10 inch, 1.75

**P.I. 163903—Sterling.** Broad spreading habit, probably to not over 2 feet. Leaves dark green, shining. Flowers 1 to 2 in a head, freely produced, 3 inches or more across, somewhat starry as compared to its fellows, deep rose pink, the small blotch made up of fine dots of Tyrian rose. Late May, early June. 1949 Release.

2 to 4 inch, .50

4 to 6 inch, .90

**P.I. 160139—Suwanee.** Erect to somewhat spreading habit to 5 feet. Leaves dark green. Flowers usually 2 to 3 in head, 3" across, Rose Pink, dots in blotch are u shaped, distinct and showy, Tyrian Rose. Brilliant. Late April.

2 to 4 inch, .50

12 to 15 inch, 3.00

15 to 18 inch, 4.00

**P.I. 160080—Swashbuckler.** Vigorous, upright to spreading habit to 5 feet. Leaves narrow, dark green. Flowers 2 to 3 in a head, 2 to 2½ inches across, rose doree, heavy blotch of spectrum red, stamens and pistil red. Early May. 1951 Release.

2 to 4 inch only, .50

**P.I. 163829—Taffeta.** Bush habit rather broad spreading, very twiggy, but probably not over 4 ft. Leaves dark green. Flowers 1 to 3 in a head, 2 to 2½ inches across, frilled, white sanded and striped Rosolane purple. Mid-May. 1950 Release.

2 to 4 inch only, .50

**P.I. 163864—Talisman.** Bush habit very dense and twiggy, but probably making bush to 4 feet. Leaves dark green, glossy. Flowers 2 to 4 in head, very abundant, 2½ inches across, pure white with no blotch, but sanding and stripes of eugenia red. Mid-May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 160130—Templar.** Erect to wide spreading, bushy habit, to 6 feet. Leaves narrow to long, semi-deciduous. Flowers usually 2 to 3 in head, 2¾ to 3 inches across, wide spreading, well imbricated almost white at base of tube, light mallow purple, blotch rhodamine purple, but not showy. Mid-April. 1951 Release.

2 to 4 inch, .50

8 to 10 inch, 1.75

**P.I. 160125—Treasure.** Vigorous growth more or less like that of Mucronatum but more spreading and with more and heavier leaves. The flowers are usually 2 to 3 in a head, 3½ to 4½ inches across. The developing buds are tinted with cameo pink, but this fades out as the flower opens leaving only a suggestion of pink on the margin of the lobes and in the blotch. Should replace Indica Alba in most plantings. Truly a treasure. Mid April. 1948 Release.

2 to 4 inch only, .50

**P.I. 163777—Trinket.** Bush broad spreading, but probably not over 5 feet. Leaves dark green, rather narrower than most and somewhat shining. Flowers 1 to 3 in head, 2½ to 3 inches across, white with few flakes of pale amaranth pink. Mid- to late May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 163820—Trophy.** Bush habit broad spreading, but probably not over 4 ft. Leaves medium green. Flowers 1 to 3 in a head, 3 to 3½ inches across, pale Mallow pink, the showy blotch made up of clear Tyrian Rose dots. Mid-May. 1950 Release.

2 to 4 inch, .50

4 to 6 inch, .90

12 to 15 inch, 3.00

**P.I. 163849—Trousseau.** Bush habit rather broad—open spreading, but probably not much over 4 feet. Leaves medium green. Flowers 1 to 3 in head, 3 inches across, frilled, white with chartreuse blotch, a very few stripes of spinel pink. Mid-May. 1951 Release. Available 1953.

2 to 4 inch only, .50

Try Azalea blossoms floating in a bowl.

Name some substitutes.



**P.I. 160108—Twinkles.** Bush with rather broad spreading habit to 5 feet. Leaves dark green, rather long and narrow. Flowers 2 to 4 in head, 2 inches across, somewhat starry, rose color to a little lighter, slight yellow suffusion at base of tube, blotch small and not showy, made up of dots of tyrian rose. Late April. 1951 Release.

2 to 4 inch, .50  
4 to 6 inch, .90

**P.I. 163863—Vanguard.** Bush habit very dense and twiggy, but probably up to 4 feet in height. Leaves dark green, glossy. Flowers 2 to 4 in head very abundant 2½" across. White, blotch yellow, stripes and sanding of old Rose. Mid-May.

2 to 4 inch only, .50

**P.I. 160134—Velvet.** Very erect habit with ascending branches but eventually a well-filled bush to 6 ft. Leaves medium green, narrow, pointed. Flowers rather bell-shaped, 2 to 3 in a head, sometimes clustered, very brilliant in effect, begonia rose with conspicuous blotch of rose red, anthers almost black. Late April. 1949 Release.

2 to 4 inch only, .50

**P.I. 163848—Vespers.** Bush habit rather broad spreading, but probably not much higher than 5 ft. Leaves medium green. Flowers 1 to 3 in a head, 3 inches across, frilled, white, chartreuse throat, only an occasional flower with Mallow purple stripes. Mid-May. 1950 Release.

2 to 4 inch, .50  
4 to 6 inch, .90

**P.I. 163833—Vestal.** Bush habit, broad or wide spreading but up to 4 feet in time. Leaves dark green. Flowers very freely produced, 1 to 3 in head, 2 to 2½ inches across, white with chartreuse blotch. There is some tendency toward the production of petaloid stamens so the plants must be watched for semi-double or double sports. Mid-May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 160128—Viking.** Typical broad spreading hybrid of *R. Poukhanense* with similar, semi-deciduous foliage. Flowers 2 to 3 in head, freely produced, 2½ to 2¾ inches across, of very beautiful form, broad imbricated lobes, light mallow purple with small blotch of conspicuous dots of rhodamine purple. Mid-April. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 160079—Violetta.** Erect to wide spreading to 4 ft. Leaves fine dark green. Flowers usually 2 to 3 in a head, 2 to 2¼ inches across, light mallow purple, blotch rhodamine purple. Mid-April. 1949 Release.

2 to 4 inch, .50  
6 to 8 inch, 1.25  
8 to 10 inch, 1.75

**P.I. 160050—Vision.** Erect to wide spreading to 8 feet. Leaves medium green, somewhat hairy. Flowers usually 2 to 3 in head, 3 inches across, very brilliant tyrian pink, slightly paler in center, few dots in blotch. Mid-April. 1951 Release.

2 to 4 inch only, .50

**P.I. 160061—Volcan.** Erect with gradually spreading top to 5 feet. Leaves medium yellowish green. Flowers 3 to 4 in head, 1½ to 2 inches across, between liseran purple and magenta but brighter than that in appearance. Blotch not conspicuous but definite; dots a little brighter than aster purple but not as bright as rhodamine pink. Mid-season. 1951 Release.

2 to 4 inch only, .50

**P.I. 160101—Warrior.** Strong, rather erect, growing to 7 feet. Leaves medium green. Flowers usually 3 to 5 in head, 2 inches across, somewhat "hooded", mallow purple; blotch rose red covering upper lobe and part of two adjoining lobes gives great warmth. Late April.

2 to 4 inch only, .50

**P.I. 163878—Whimsical.** Broad spreading habit but perhaps up to 4 ft. Leaves dark green, somewhat rough. Flowers 1 to 3 in a head, 2 inches across, white with very little chartreuse in blotch area and flakes of Phlox purple. Mid to late May. 1950 Release.

2 to 4 inch only, .50

**P.I. 163775—Winedrop.** Bush broad spreading, but probably never over 5 feet. Leaves dark green. Flowers 1 to 3 in head, 2¾ to 3 inches across, white sanded and striped with phlox purple. Mid- to late May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 160023—Winner.** Habit dense, erect and spreading to eventually over-arching to 5 feet. Leaves small, dark green and shining. Flowers 1 to 3 in head, heads often grouped, freely produced, Hose-in-Hose. 1½ to 2" across. Pink. Late April.

10 to 12 inch, 2.25  
12 to 15 inch, 3.00

**P.I. 163887—Wisdom.** Bush habit dense and twiggy, but possibly in time up to 4 feet. Leaves dark green. Flowers 1 to 3 in head, 2 inches across, pure white with chartreuse blotch, brown anthers. Flowers have very heavy substance. Mid to late May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 163865—Yeoman.** Bush habit very dense and twiggy, but probably making bush up to 4 feet. Leaves dark green, glossy. Flowers 2 to 4 in head, very abundant, 2½ inches across, white, wide chartreuse blotch, stripings almost eugenia red. Mid-May. 1951 Release. Available 1953.

2 to 4 inch only, .50

**P.I. 163966—Youth.** Bush rather like that of an excellent *R. Mucronatum*, spreading rather than tall, but up to 5 ft. Leaves medium to dark green, only somewhat pubescent. Flowers 1 to 3 in a head, freely produced, 2 inches across, liseran purple with very little dotting in the blotch area. Late May. 1949 Release.

2 to 4 inch only, .50



**P.I. 163776—Zephyr.** Bush broad spreading, but probably not over 5 feet. Leaves dark green. Flowers 1 to 3 in head, 2¾ to 3 inches across, white with a great variation in the number of flakes of light mal-low pink, some sanding. Mid to late May. 1951 Release. Available 1953.

2 to 4 inch only, .50

Don't be disappointed if we are limited or sold out on any of the new Glenn Dale Hybrids when you give your order. Leave your order with us, along with a deposit, and we will see that you get your plants as soon as possible. You know these Glenn Dales are scarce yet. Many of the varieties listed this year are 2 to 4 inch plants only. We will have larger plants in the future. Bear with us and we will have all you want as soon as we are able to produce them with our small force of trained help. Thank you for your wonderful cooperation last year.

#### New U.S.D.A. or Yerkes Hybrids

We have the U.S.D.A. Azaleas on test and available as 2 to 4 inch plants at .50.

Some very hardy and wonderful Hybrids are coming from Beltsville and many more are under test. Watch out for these; we have found them extremely hardy here under our severe tests. Mr. Robert Prior now in charge of this job of breeding Azaleas at Beltsville is doing an excellent job and is also turning out some fine hybrids. These Azaleas are in a class entirely separate of the Glenn Dales and are not to be confused.

**U.S.D.A. No. 91—Midseason,** low growing, bush type. Large light green foliage, single, ruffled, deep Salmon flowers.

2 to 4 inch, .50

**U.S.D.A. No. 74—Early,** Kurume type growth, very compact, good foliage. Hose-in-Hose. Pure Snow White.

2 to 4 inch, .50

**U.S.D.A. No. 117—Early,** very compact growth, dark green foliage. Hose-in-Hose. Lavender Pink flowers in large quantity.

2 to 4 inch, .50

**U.S.D.A. No. 126—Rose Banner.** Early, open type growth good. Light green foliage. Hose-in-Hose. Rose-Pink flowers, dark pink spots in throat.

2 to 4 inch, .50

**U.S.D.A. No. 135—Guy Yerkes.** Early, large, glossy green foliage. Hose-in-Hose. Salmon Pink, dark pink spots in throat.

2 to 4 inch, .50

**U.S.D.A. No. 138—Early,** compact growth, light green foliage, single pure white flower, almost like a single snow.

2 to 4 inch, .50

**U.S.D.A. No. 20—Polar Bear.** Early, compact growth, excellent foliage. Pure White.

2 to 4 inch, .50

**U.S.D.A. No. 136—White Banner.** Early, compact growth, deeper green foliage than former variety. Heavy bloomer. Pure White.

2 to 4 inch, .50

#### U.S.D.A. Azaleas in a Collection

If you would like a small collection of Azaleas in the newer Beltsville Hybrids, maybe this Offer is just what you want. All are 2 to 4 inch plants well established in 2½" Cypress bands and shipped Prepaid East of Mississippi. Please add 10% West of Mississippi. Available Spring Only after May 1st.

10 Plants, 2 each of a variety, giving you 5 varieties, our selection, 2 to 4 inch, width, once transplanted in a 2½" cypress band, labeled. (Offer No. A-53-10) **\$4.50 P. P.**

#### Hemerocallis or Daylilies

We have a large stock of Daylilies, which we hybridized before World War II and all have bloomed. Many are as good as the present day named Hybrids selling for .75, 1.00, and 1.50 each. These plants are unnamed and unlabeled, so we offer them to you in the following mixed collections at a very low price for what you are receiving in return for your money. They start blooming in Mid-May and go up into late June with a range of varieties. It is a nice thing for the garden as it will give you bloom when other plants such as Azaleas are fading away.

10 all different Divisions mixed. (Offer No. D-53-1) **\$4.50 P. P.**

20 all different Divisions mixed. (Offer No. D-53-2) **\$8.00 P. P.**

40 all different Divisions mixed. (Offer No. D-53-3) **\$15.50 P. P.**

100 all different Divisions mixed. (Offer No. D-53-4) **\$32.00 P. P.**

Shipped Prepaid East of Mississippi. Spring & Fall Anytime. Please add 10% West of Mississippi.

Fertilize Azaleas in March and June.

2 to 4 inch plants in the spring only.



## Chugai Hybrids

A very rare and dwarf race of azalea from Japan, with large 3 to 4 inch flowers; in many color variations. Mature height is rarely over 12 to 15 inches and blooming period is very late; around June in this area. Tender when young, but if given some protection they will repay you well for the trouble. Small, once transplanted plants with a very heavy root system @ \$.75 each. "The flowers are extremely variable in that the large majority of clones have a disconcerting habit of producing flowers of several patterns and colors on the same plant. It is frequently impracticable to select any particular pattern as being characteristic flower for purposes of description. In general the flowers are single, large, have a white or pink base, some self colored and others striped or flaked a different color or with different colored margins. Many are frilled". Heavy texture flowers. From—The Azalea Handbook.

**Bunkwa.** Pale Lilac Pink to delft rose. White throat.

**Vohga.** Deep Red.

**Eiten.** White with purple variations.

**Gunrei.** Ruffled, flushed rose-madder, often striped.

**Gunbi.** Ruffled, white with rose.

**Gumpo.** White, occasionally pink flecked. Ruffled not a chugai, but it fits this classification.

**How-Raku.** White, with chartreuse blotch often has tyrian rose stripes.

**Gyokushin.** White with rose spots.

**Mai-Hime.** Tyrian Rose with darker spots, often white variegations.

**Tama-Sugata.** Delft Rose or white flecked. Tallest of the Chugai's.

**Kingetsu.** White, broad edge of claret.

**Shumpow.** Snow White with purple splash.

**Keisetsu.** Jasper Red with white throat.

**Tama-giku.** Delft rose, white flecked.

**Sakura-yama.** Cherry pink with salmon-scarlet.

**Seigetsu.** Lilac with purple.

The above color combinations are not guaranteed, but come some where near it. The Chugai Azalea is well worth buying. We have about ten other clones not listed and without full description, but named. If you would like to try them; we have made up a small collection for you.

10 all different, Chugai Azaleas, 2 to 4 inch, width, once transplanted in a 2½" Cypress band, labeled. Our selection. (Offer No. A-53-11)  
7.00 P. P.

## Kurume Azaleas

Flowers of the Kurume Azaleas are small when compared to others, but they make up in numbers what they lack in size. Specimens in full bloom are often so covered with flowers that their leaves cannot be seen. Some are single, others are hose-in-hose. Colors in Kurume Azaleas are rich and varied; for the most part, they are self-colored. Slow growers but in years may reach 3 to 4 feet. They are well adapted to forcing and make showy pot plants.

**Coral Bells.** Hose-in-hose. Shell pink, shaded darker. Very showy and compact. Early.

8 to 10 inch, 1.75

**Hino-Crimson.** Single. Brilliant red, nonfading. Early.

2 to 4 inch, .50

**Hinodegiri.** Single. Brilliant scarlet. Heavy bloomer. Early.

2 to 4 inch, .50

8 to 10 inch, 1.75

**Pink Pearl.** Hose-in-hose. Salmon-rose, with light centers. Early.

2 to 4 inch, .50

**Sherwoods Red.** Single, red. A new hybrid of Hinodegiri. Same growth. Early.

2 to 4 inch, .50

**Snow.** Hose-in-hose. White, with a very compact growth. Early.

2 to 4 inch, .50

6 to 8 inch, 1.25

8 to 10 inch, 1.75

**Beni-Kirin.** Scarce and rare.

2 to 4 inch, .75

**Hime-Kagami.** Spreading, low, Early, Hose-in-Hose. White, few strips of Pink. Scarce.

2 to 4 inch, .75

**Fuji-No-Asahi.** Single or Hose-in-Hose. Low, spreading. White flushed with Salmon Pink on petal tips.

2 to 4 inch, .75

**Kagribi.** Tall, spreading, Early, Brilliant orange-red.

2 to 4 inch, .50

**Kintaiyo.** Low, spreading, Hose-in-Hose, Early. White edged bright orange. Rare and Scarce.

2 to 4 inch, .75

**Kumoi.** Low, spreading, Hose-in-Hose. Early. Frilled, carmine red, with paler throat. Rare and Scarce.

2 to 4 inch, .75

**Mizu-No-Yamabuki.** Low, spreading. Early, single, with partially petaloid sepals. White. Rare and Scarce.

2 to 4 inch, .75

**Yakumo.** Low, spreading. Early. Hose-in-Hose, dark red, roundish petals. Rare and Scarce.

2 to 4 inch, .75

**Watmatsu.** Rare and Scarce.

2 to 4 inch, .75

**Wake-Bishi.** Rare and Scarce.

2 to 4 inch, .75

Fertilize Azaleas in March and June.

Read colored sheet 1 before ordering.



## Azalea Miscellaneous Hybrids and Others

- Beni-Kirishima.** Do. orange red. Late.  
6 to 8 inch, 1.25  
8 to 10 inch, 1.75  
10 to 12 inch, 2.25
- Sherwoodi.** Single. Large. Rose-orchid. Heavy grower.  
Early.  
8 to 10 in., 1.75  
10 to 12 inch, 2.25  
12 to 15 inch, 3.00
- J. T. Lovett.** Single. A beautiful claret-rose. Dense.  
Low grower. Late.  
2 to 4 inch, .50  
6 to 8 inch, 1.25  
8 to 10 inch, 1.75
- Maxwelli Alba.** Single. Large white flowers. Mid-season.  
2 to 4 inch, .50
- Maxwelli.** Single. Large rose-red flowers. This is the true type of Maxwelli. Mid-season.  
2 to 4 inch, .50  
8 to 10 inch, 1.75  
12 to 15 inch, 3.00  
15 to 18 inch, 4.00
- Macrantha Alba.** Single, low, Late, white.  
2 to 4 inch, .50
- Macrantha, Fl. Pl.** Double. A deep rose with perfect foliage and a long blooming period. Late.  
2 to 4 inch, .50  
8 to 10 inch, 1.75
- Macrantha.** Single, salmon red.  
2 to 4 inch, .50  
8 to 10 inch, 1.75  
10 to 12 inch, 2.25
- Marcrantha.** Single. Bright orange, low. Late.  
2 to 4 inch, .50
- Palestrina.** A good hardy tall growing white bloomer. Excellent in place of Ledifolia Alba.  
2 to 4 inch, .50

## Pericat Hybrids

As a whole the Pericats are difficult to procure except for a few clones. Excellent to force, good form and clear in color. Originated by Alphonse Pericat of Pennsylvania.

- Chas. Grakelow.** Spreading, medium height, dense, Late midseason. Deep red.  
2 to 4 inch, .50
- Dawn.** Spreading, medium height, dense. Late midseason. Hose-in-Hose. 2½" flower Phlox pink. White center.  
2 to 4 inch, .50

- Emile Russave.** Spreading, medium height, dense. Late midseason. Semi-Double, frilled 2½" flower. Red.  
2 to 4 inch, .50

- Flanders Field.** Spreading, medium height. Late midseason. Single. 2¼" flower. Blood red, with darker blotch.  
2 to 4 inch, .50

- Fortune.** Spreading, medium height, dense. Early midseason. Semi-Double. 2½" flowers. Claret red.  
2 to 4 inch, .50

- Gardenia Supreme.** Spreading, medium height, dense. Early midseason. Semi-Double 1½" flowers. White with Violet Red blotch.  
2 to 4 inch, .50

- Gem.** Spreading, medium height, dense. Early midseason. Hose-in-Hose. Frilled 1½" flowers. Carmine Red with darker blotch.  
2 to 4 inch, .50

- Hampton Rose.** Spreading, medium low, dense. Early. Hose-in-Hose. Frilled 1½" flowers. Violet Rose. Could be a B & A Hybrid.  
2 to 4 inch, .50

- Harmony.** Spreading, medium height.  
2 to 4 inch, .50

- Melody.** Spreading, medium height, dense. Late midseason. Single, some petaloid sepals. 1½" flower. Red.  
2 to 4 inch, .50

- Mme. Pericat.** Spreading, medium height, dense. Late midseason. Hose-in-Hose. 2½" flowers. Violet Rose, with white center.  
2 to 4 inch, .50

- Morning Glow.** Spreading, medium height, dense. Late midseason. Hose-in-Hose. 2½" flowers. Phlox Pink, with white center, darker blotch.  
2 to 4 inch, .50

- Sunset.** Upright, medium height. Early midseason. Semi-Double flowers. Orange-Red.  
2 to 4 inch, .50

- Sweetheart.** Spreading, medium height. Early midseason. Hose-in-Hose. Frilled. Orange Red with darker blotch.  
2 to 4 inch, .50

## Mayo Hybrids

Introduced by R. P. Mayo. Plants bloom just after the Kurumes and are a very beautiful group.

- Augusta Belle.** Upright, medium height, dense. White flushed violet red.  
2 to 4 inch, .50

- Bo-Peep.** Upright, medium height, dense. Hose-in-Hose. Orange Salmon.  
2 to 4 inch, .50

2 to 4 inch plants available in Spring only.

Break your foundation planting with Azaleas.

**Magic Lily.** Upright, medium height, dense. Single, few petaloid sepals 2¼" flowers. Flushed reddish violet.

2 to 4 inch, .50

**Maidens Blush.** Spreading, medium height. Single, petaloid sepals. Red.

2 to 4 inch, .50

**Sachen.**

2 to 4 inch, .50

**Salmon Supreme.** Spreading medium height. Good Salmon Pink.

2 to 4 inch, .50

**Spring Dawn.** Upright, medium height, dense. Semi-Double. White to blush pink.

2 to 4 inch, .50

**Twenty Grand.** Spreading, medium height. Semi-Double. Violet Red.

2 to 4 inch, .50

**Willie Belle.** Spreading, medium height, dense. Hose-in-Hose, frilled. Violet Red.

2 to 4 inch, .50

#### Collection of Mayo and Pericat Hybrids

10 all different, Mayo and Pericat Hybrids, 2 to 4 inch, width, once transplanted in a 2½" Cypress band, labeled. Our selection. (Offer No. A-53-12) 4.50 P. P.

## Kaempferi Hybrids

**TO-2.** A selected Kaempferi seedling of extreme hardness. Single. Deep flame red. Early.

2 to 4 inch, .50  
8 to 10 inch, 1.75  
10 to 12 inch, 2.25

**Fedora.** Single. Handsome, large flowers of deep rose. Early.

2 to 4 inch only, .50

The above Kaempferi Azaleas are very hardy, strong growers, and will stand almost extreme shade. Very bud hardy in cold locations. Early. We grow these in limited quantities.

## Joseph Gable's Hybrid Azaleas

Gable's hybrids are so well known for hardness that little can be said other than we have proved their hardness also and can highly recommend them for color and form; they also have handsome foliage which makes them an Evergreen worth growing.

**Cameo.** Double. Very attractive soft pink rose like flowers in profusion. Early.

2 to 4 inch only, .50

**C-2-G.** Pink.

2 to 4 inch, .50  
6 to 8 inch, 1.25

**Carol, B-8-G.** Hose-in-hose. Brilliant crimson pink. Dwarf spreading plant. Good foliage. Early.

2 to 4 inch, .50  
6 to 8 inch, 1.25  
8 to 10 inch, 1.75

**Caroline Gable.** Pink.

10 to 12 inch, 3.00

**Corsage.** Single. Large orchid, fragrant flowers that cover the bush. A strong grower. Early.

2 to 4 inch, .50  
12 to 15 inch, .50

**Elizabeth Gable, 21-G.** Semi-double. Salmon-rose. Beautiful deep green foliage. Mid-season.

2 to 4 inch, .50  
2 to 4 inch, .50  
8 to 10 inch, 1.75  
10 to 12 inch, 2.25

**F-12-G.** Hose-in-Hose. Deep red. Good foliage and a handsome thing. Late.

2 to 4 inch, .50  
8 to 10 inch, 1.75  
8 to 10 inch, 1.75  
10 to 12 inch, 2.25

**Herbert, C-1-G.** Semi-double. Large frilled and ruffled, dark crimson-purple. A very handsome and unusual Azalea. Early.

2 to 4 inch, .50  
6 to 8 inch, 1.25  
8 to 10 inch, 1.75  
10 to 12 inch, 2.25

**James Gable, F-1-G.** Hose-in-hose. Excellent blood red and a handsome thing. Late. Limited stock.

2 to 4 inch only, .50

**J-3-G.** Red.

2 to 4 inch only, .50

**La Lumiere, 100-G.** Single. A tall growing flame red that is excellent for deep shade. Early.

6 to 8 inch only, 1.25

**Louise Gable, 13-G.** Double. Large salmon-pink flowers; compact, twiggy plant. Early.

2 to 4 inch, .50  
8 to 10 inch, 1.75  
10 to 12 inch, 2.25

**Mary Ann, 38-G.** Double. A good pink with a profusion of bloom and a good plant habit. About the hardest double. Mid-season.

2 to 4 inch, .50  
6 to 8 inch, 1.25  
8 to 10 inch, 1.75

**Rose Bud, B-5-G.** Double. Rose pink flowers on a very dwarf plant. Unusually floriferous, and could be taken for a dwarf rose. Limited stock. Early.

2 to 4 inch only, .50

Sizes available are under each description.

Well-decayed Oak leaves are good for Azaleas.



Mildred Mae. Lavender.

2 to 4 inch, .50  
8 to 10 inch, 1.75  
10 to 12 inch, 2.25

Rose Greeley, D-3-G. Hose-in-hose. Large white of good form with a light green foliage. Early.

2 to 4 inch only, .50

Edna, 34-G. Hose-in-Hose. A very beautiful rose pink with deep green foliage. Good. Early.

2 to 4 inch, .50

152-G. Single. A handsome deep pink with a dark green foliage that blooms when there is a lull in Azalea bloom. Late.

8 to 10 inch, 1.75  
10 to 12 inch, 2.25  
12 to 15 inch, 3.00  
15 to 18 inch, 4.00

Visit the Nursery and see some of the beautiful plants of Hybrid Rhododendron, Yews, Magnolia, Dogwood, Ilex and many others of the plant aristocrats in smaller sizes that are not too costly.

## Mollis Hybrids

Decidious, upright, tall. Late, midseason. Large flowers. 2½ inches across and in clusters of 7 to 13. Single in a very striking range of colors from yellow, orange to orange red. Do well in the full sunlight if kept on the moist side. The following list are heavy branched, two year old plants ranging from 8 to 12 inches in height. Well budded. Growing here at Ten Oaks. 2.25 each

Coccinia Speciosa. Orange red.

Prof. Lorentz. Yellow to orange red.

Kosters Brilliant. Orange red. (Bittersweet orange)

Director Moerlands. Best pure yellow yet.

C. B. Van Nes. Fire red. (Brilliant)

Conde de Quincy. Light yellow. (Chrome yellow)

Dr. M. Oosthock. Deep orange red.

Hortulanus Witte. Orange-yellow, cadmium yellow blotch.

## Ghent Hybrid--Seedling Grown

A very beautiful group of Azalea, originated in Belgium. Decidious, upright, tall, broad, with flowers from 1½ to 2½ inches across. Will take 25 degrees below. Like full sun; moist soil (not wet soil).

These seedlings were grown from seed here at Ten Oaks from one of the finest collections of Ghent Hybrids in this country; located on an estate in the North. They are three years old, 8 to 12 inches tall and heavily branched. Many bloomed last year and were a knock-out; running 90% yellow and shades of orange. Of course all are own roots, which gives them lasting quality. All Ghents 2.25. Being seedlings we cannot guarantee them as to color.

Try one of the Yew Collections

## Native Species

These were grown from seed here at Ten Oaks; saved from selected parents, not collected junk!

Calendulaceum. Upright, tall. Late flowering, about June. Remarkable range of fine colors, yellowish orange, orange red and burnt oranges. 8 to 12 inches tall branched heavily. 2.25. Being seedlings we cannot guarantee as to color.

Arborescens. Upright, tall. Late flowering, about June. White, rarely with a pink flush. Very fragrant and a Prize for a cool moist spot. Heavy Branched plants. 6 to 8 inches tall 2.00.

## Azalea Lists and Helps

Here is an up-to-date list of Azaleas under color headings that are in general use. For full description, look in the descriptive list of this catalogue. This listing entailed an enormous amount of work, and there may be a few mistakes which will be corrected in time; but we hope it will help you in knowing something about your plant before purchasing. Although not in detail, this list will give you your color range, height at maturity, time of blooming, and type of bloom—whether single, hose-in-hose, or double.

### LEGEND OF ABBREVIATIONS USED IN LISTING

O. Red—Orange-red.  
Red—All shades of red.  
Pink—All shades of pink.  
Rose—All shades of rose.  
Sal. R.—All shades of salmon-red.  
Sal.—All shades of salmon-pink.  
Sal. O.—All shades of salmon-orange.  
Li.—All shades of lilac.  
Lav.—All shades of lavender.  
Pur.—All shades of purple.  
Wh.—Pure or near pure white.  
Wh. V.—White, with other color flecks or stripes.  
Y.—All shades of yellow.  
Y. O.—All shades of orange to yellow.  
Si.—Single flowers.  
Do.—Double flowers.  
H. H.—Hose-in-hose, flower in flower.  
Mid.—Mid-season.  
Very low—1 to 2 ft., mature height.  
Low—2 to 4 ft., mature height.  
Medium—4 to 5 ft., mature height.  
Tall—5 to 7 ft., mature height.

### WHITES AND WHITE WITH COLOR VARIATIONS

#### KURUME'S

Snow—H.H., Early, Low, Wh.

2 to 4 inch plants: Spring only.

## GLENN DALE INTRODUCTIONS

Alabaster—H.H., Early, Medium, Wh.  
 Altair—Si., Mid., medium, Wh.V.  
 Angela Place—Si., Mid., Medium, Wh.  
 Antique—Si., Late, Medium, Wh.V.  
 Ave Maria—Si., Mid-late, Low, Wh.V.  
 Baroque—Si., Mid-late, Medium, Wh.V.  
 Cadenza—Si., Mid-late, Medium, Wh.V.  
 Capella—H.H., Early, Medium, Wh.V.  
 Cavatina—Si., Mid-late, Medium, Wh.V.  
 Chameleon—Si., Mid., Medium, Wh.V.  
 Cocktail—Si., Mid., Medium, Wh.V.  
 Consolation—Si., Mid., Medium, Wh.V.  
 Cream Cup—Si., Mid., Medium, Wh.  
 Dowager—Si., Mid-late, Medium, Wh.V.  
 Driven Snow—Si., late, medium, Wh.  
 Egoist—Si., Mid-late, Medium, Wh.V.  
 Eucharis—Si., Mid., Low, Wh.  
 Everest—Si., Mid., Medium, Wh.  
 Festive—Si., Early, Medium, Wh.V.  
 Furbelow—Si., Mid., Medium, Wh.V.  
 Futurity—Si., Mid., Low, Wh.V.  
 Galaxy—Si., Mid-late, Medium, Wh.V.  
 Geisha—Si., Early, Medium, Wh.V.  
 Glacier—Si., Early-mid., Medium, Wh.  
 Grandam—Si., Mid., Low, Wh.V.  
 Helen Close—Si., Mid., Low, Wh.  
 Ivory—Si., Early-mid., Medium, Wh.  
 Killarney—Si., Mid-late, Medium, Wh.V.  
 Lyric—Si., Mid., Medium, Wh.  
 Martha Hitchcock—Si., Mid., Medium, Wh.V.  
 Masquerade—Si., Mid., Low, Wh.  
 Memento—Si., Mid., Very Low, Wh.V.  
 Moira—Si., Mid., Medium, Wh.V.  
 Niagara—Si., Mid., Low, Wh.  
 Novelty—Si., Mid., Medium, Wh.V.  
 Paprika—Si., Mid., Medium, Wh.V.  
 Pinocchio—Si., Mid., Medium, Wh.V.  
 Polar Sea—Si., Mid., Low, Wh.  
 Presto—Si., Mid., Medium, Wh.V.  
 Prodigal—Si., Mid-late, Low, Wh.V.  
 Punchinello—Si., Mid., Medium, Wh.V.  
 Requiem—Si., Mid., Medium, Wh.V.  
 Rogue—Si., Mid., Medium, Wh.V.  
 Samite—H.H., Early, Tall, Wh.  
 Satyr—Si., Mid., Medium, Wh.V.  
 Seafoam—Si., Mid., Low, Wh.  
 Shimmer—Si., Mid., Medium, Wh.V.  
 Silver Lace—Si., Mid-late, Medium, Wh.V.  
 Silver Mist—Si., Mid., Medium, Wh.V.  
 Snowclad—Si., Mid-late, Medium, Wh.  
 Snowscape—Si., Late, Medium, Wh.  
 Sonata—Si., Mid., Medium, Wh.V.  
 Sorcerer—Si., Mid., Medium, Wh.V.  
 Taffeta—Si., Mid., Medium, Wh.V.  
 Talisman—Si., Mid., Medium, Wh.V.  
 Treasure—Si., Early, Medium, Wh.  
 Trinket—Si., Mid-late, Medium, Wh.V.  
 Trousseau—Si., Mid., Medium, Wh.V.  
 Vanguard—Si., Mid., Medium, Wh.V.  
 Vespers—Si., Mid., Medium, Wh.V.  
 Vestal—Si., Mid., Medium, Wh.  
 Whimsical—Si., Mid-late, Medium, Wh.V.  
 Winedrop—Si., Mid-late, Medium, Wh.V.  
 Wisdom—Si., Mid-late, Medium, Wh.  
 Yeoman—Si., Mid., Medium, Wh.V.  
 Zephyr—Si., Mid-late, Medium, Wh.V.

## JOSEPH GABLE'S HYBRIDS

Rose Greeley—H.H., Early, Medium, Wh.

## U.S.D.A. OR YERKES HYBRIDS

U.S.D.A.-74—H.H., Early, Low, Wh.  
 U.S.D.A.-138—Si., Early, Low, Wh.  
 U.S.D.A.-Polar Bear—H.H., Early, Low, Wh.  
 U.S.D.A.-White Banner—H.H., Early, Low, Wh.

## CHUGAI HYBRIDS

Eiten—Si., Late, Very Low, Wh.V.  
 Gunbi—Si., Late, Very Low, Wh.V.  
 Gumpo—Si., Late, Very Low, Wh.V.  
 How-Raku—Si., Late, Very Low, Wh.V.  
 Gyokushin—Si., Late, Very Low, Wh.V.  
 Kingetsu—Si., Late, Very Low, Wh.V.  
 Shumpow—Si., Late, Very Low, Wh.V.

## PERICAT HYBRIDS

Gardenia Supreme—Semi-Do., Early Mid., Low, Wh.V.

## REDS AND ORANGE-RED SHADES

## KURUME'S

Hino-Crimson—Si., Early, Very Low, Red.  
 Hinodegiri—Si., Early, Low, Red.  
 Kagribe—Si., Early, Tall, O.Red.  
 Kumoi—H.H., Early, Low, O.Red.  
 Sherwood's Red—Si., Early, Low, Red.  
 Yakumo—Si., Early, Low, D.Red.

## GLENN DALE INTRODUCTIONS

Beacon—Si., Early-Mid., Medium, Light Red.  
 Buccaneer—Si., Early, Medium, O.Red.  
 Burgundy—Si., Early, Medium, Dark Red.  
 Carmel—Si., Early, Medium, Dark Red.  
 Cavalier—Si., Early, Medium, O.Red.  
 Clarion—Si., Early, Tall, Light Red.  
 Commodore—Si., Early-Mid., Medium, Deep Red.  
 Copperman—Si., Mid-late, Medium, O.Red.  
 Darkness—Si., Mid., Medium, Deep Red.  
 Emblem—Si., Early-Mid., Medium, Red.  
 F. C. Bradford—Si., Early-Mid., Low, Rose Red.  
 Glamour—Si., Early-Mid., Medium, Rose Red.  
 Jamboree—Si., Early-Mid., Medium, Light Red.  
 Pirate—H.H., Early-Mid., Medium, Light Red.  
 Prudence—Si., Early-Mid., Medium, Rose Red.  
 Rising Sun—Rose Red.  
 Robinhood—Si., Early, Medium, Rose Red.  
 Scout—Si., Early-Mid., Medium, Rose Red.  
 Swashbuckler—Si., Early-Mid., Medium, Rose Red.

## JOSEPH GABLE'S HYBRIDS

F-12-G—H.H., Late, Medium, Red.  
 James Gable—H.H., Late, Medium, Red.  
 La Lumiere—Si., Early, Medium, Red.

## MISCELLANEOUS AZALEAS

Maxwelli—Si., Mid., Medium, Red.  
 TO No. 2—Si., Early, Tall, Red.

Visit us when Azaleas are in bloom.

Azaleas are an excellent cut flower.



## MISCELLANEOUS HYBRIDS

**Beni-Kirishima**—Do., Late, Low, O.Red.  
**Carminata Splendens**—Si., Early, Low, Red.  
**Yaeshajo**—Si., Early, Low, Red.

## CHUGAI HYBRIDS

**Vohga**—Si., Late, Very Low, Red.  
**Keisetsu**—Si., Late, Very Low, Red.

## PERICAT HYBRIDS

**Chas. Grakelow**—Si., Late, Mid., Medium, Deep Red.  
**Emile Russave**—Semi-Do., Late-Mid., Medium, Red.  
**Flanders Field**—Si., Late-Mid., Medium, Red.  
**Fortune**—Semi-Do., Early-Mid., Medium, Red.  
**Gem**—H.H., Early-Mid., Medium, C.Red.  
**Melody**—Si., Late-Mid., Medium, Red.  
**Sunset**—Semi-Do., Early-Mid., Medium, O.Red.  
**Sweetheart**—H.H., Early-Mid., Medium, O.Red.

## MAYO HYBRIDS

**Maidens Blush**—Si., Late-Mid., Medium, Blush Red.  
**Twenty Grand**—Semi-Do., Late-Mid., Medium, Violet Red.  
**Willie Belle**—H.H., Late-Mid., Medium, Violet Red.

SALMON, SALMON-ORANGE AND  
SALMON-RED SHADES

## KURUME'S

**Fuji-No-Asahi**—Si., Low, Early, Sal.

## GLEN DALE INTRODUCTIONS

**Aladdin**—Si., Early, Medium, Sal.  
**Ambrosia**—Si., Early, Tall, Sal.  
**Aztec**—Si., Late, Low, Deep Sal.  
**Bagatelle**—Si., Early, Tall, Sal.  
**Captivation**—H.H., Early-Mid., Medium, Sal.  
**Colleen**—Si., Mid., Tall, Sal.  
**Coralie**—H.H., Early-Mid., Medium, Sal.  
**Crusader**—Si., Late, Low, Sal.  
**Damozel**—H.H., Early-Mid., Medium, Sal.  
**Fairy Bells**—H.H., Early, Medium, Light Sal.  
**Fanfare**—H.H., Early-Mid., Medium, Sal.  
**Fashion**—Si., Early-Mid., Medium, Deep Sal.  
**Favorite**—H.H., Early-Mid., Medium, Light Sal.  
**Freedom**—Si., Early-Mid., Medium, Sal.  
**Gorgeous**—Si., Mid., Medium, Sal.  
**Helen Gunning**—Si., Mid., Medium, Sal.  
**Jubilant**—Si., Early-Mid., Medium, Sal.  
**Kenwood**—Do., Early-Mid., Medium, Deep Sal.  
**Luminary**—Si., Mid., Medium, Sal.  
**Paradise**—H.H., Early-Mid., Medium, Sal Rose.  
**Peerless**—H.H., Early-Mid., Medium, Sal.  
**Rose Ash**—Si., Late, Medium, Sal.  
**Sagittarius**—Si., Late, Very Low, Sal.  
**Souvenir**—H.H., Early, Medium, Sal.  
**Velvet**—Si., Early-Mid., Medium, Sal.R.

## JOSEPH GABLE'S HYBRIDS

**Elizabeth Gable**—Si., Mid., Low, Sal.  
**Louise Gable**—Do., Late, Low, Sal.

## MAYO HYBRIDS

**Bo-Peep**—H.H., Early, Mid., Medium, O.Sal.  
**Salmon Supreme**—Si., Early, Mid., Medium, Sal.

## CHUGAI HYBRIDS

**Sakura**—Yama-Si., Late, Very Low, Sal.

## U.S.D.A. OR YERKES HYBRIDS

**U.S.D.A. 91**—Si., Early, Low, Sal.  
**U.S.D.A. Guy Yerkes**—H.H., Early, Low, Sal.

## LILAC, LAVENDER AND PURPLE SHADES

## GLENN DALE INTRODUCTIONS

**Andros**—Do., Mid., Medium, Lav.  
**Boldface**—Si., Mid., Medium, Lav.  
**Bonanza**—Si., Mid., Medium, Pu.  
**Bountiful**—Si., Mid., Medium, Lav.  
**Chanticleer**—Si., Mid., Medium, Pu.  
**Commando**—Si., Mid., Medium, Pu.  
**Content**—Si., Early-Mid., Medium, Lav.  
**Guerdon**—Si., Mid-late, Very Low, Lav.  
**Merlin**—Si., Early-Mid., Medium, Lav.  
**Meteor**—Si., Mid., Medium, Lav.  
**Nocturne**—Si., Mid., Medium, Deep Pu.  
**Padre**—Si., Early-Mid., Tall, Lav.  
**Paladin**—Si., Mid-late, Medium, Pu.  
**Progress**—Si., Mid., Medium, Lav.  
**Sarabande**—Si., Mid-late, Medium, Lav.  
**Seneca**—Si., Early, Medium, Lav.  
**Shelia**—Si., Early-Mid., Tall, Pu.  
**Templar**—Si., Early, Medium, Lav.  
**Trophy**—Si., Mid., Medium, Lav.  
**Viking**—Si., Early, Medium, Lav.  
**Violetta**—Si., Early, Medium, Lav.  
**Volcan**—Si., Mid., Medium, Pu.  
**Warrior**—Si., Early-Mid., Tall, Lav.  
**Youth**—Si., Late, Medium, Pu.

## JOSEPH GABLE'S HYBRIDS

**Corsage**—Si., Early, Medium, Lav.  
**Herbert**—H.H., Early, Medium, Pur.  
**Howard W. Anderson**—Si., Early, Medium, Lav.  
**76-G**—Si., Early, Medium, Lav.

## MISCELLANEOUS AZALEAS

**Sherwoodi**—Si., Early, Medium, Pur.

## CHUGAI HYBRID

**Bunkwa**—Si., Late, Very Low, Pale Lilac.  
**Seigetsu**—Si., Late, Very Low, Lilac & Pur.

## MAYO HYBRIDS

**Magic Lily**—Si., Late-Mid., Medium, Violet Red.

## PINKS AND ROSE PINK SHADES

## KURUME'S

**Coral Bells**—H.H., Early, Low, Pink.  
**Hinomayo**—Si., Early, Low, Pink.

See colored sheet 1 for prices.

We grow our own Azalea.

## GLENN DALE INTRODUCTIONS

Advance—Si., Mid-late, Medium, Rose.  
 Anchorite—Si., Early, Medium, Rose Pink.  
 Anthem—Si., ———, Medium, Rose Pink.  
 Aphrodite—Si., Early-Mid., Medium, Pale Rose.  
 Arcadia—Si., Early-Mid., Tall, Deep Rose.  
 Astarte—Si., Early, Medium, Rose.  
 Bagdad—Si., Mid., Medium, Rose.  
 Bishop—Si., Early-Mid., Medium, Rose.  
 Blushing Maid—Si., Early-Mid., Tall, Light Pink.  
 Bolivar—Si., Mid-late, Medium, Deep Rose.  
 Bopeep—Si., Early, Medium, Light Pink.  
 Chloe—Si., Early, Medium, Rose.  
 Con-Amore—Si., Early-Mid., Medium, Rose Pink.  
 Concordia—Si., Early, Medium, Deep Rose.  
 Coral Sea—Si., Mid., Medium, Light Rose.  
 Cordial—Si., Mid., Medium, Light Pink.  
 Corsair—Si., Early-Mid., Medium, Deep Rose Pink.  
 Cranford—Si., Late, Low, Deep Rose.  
 Cremona—Si., Mid-late, Medium, Rose.  
 Cytherea—Si., Mid., Medium, Rose.  
 Darling—Si., Early-Mid., Medium, Rose.  
 Dayspring—Si., Early, Medium, Light Pink.  
 Dazzler—Si., Mid., Low, Deep Rose Pink.  
 Delos—Do., Mid., Medium, Light Rose.  
 Dragon—Si., Mid., Medium, Deep Rose.  
 Elizabeth—Si., Mid-late, Medium, Deep Rose.  
 Evensong—Si., Early-Mid., Medium, Rose.  
 Faith—Si., Early, Medium, Deep Rose.  
 Fakir—Si., Mid-late, Medium, Rose.  
 Fountain—Si., Late, Low, Rose.  
 Gaiety—Si., Early-Mid., Medium, Light Pink.  
 Gracious—Si., Early-Mid., Medium, Rose.  
 Harbinger—Si., Mid., Low, Rose.  
 Illusion—Si., Early, Medium, Rose.  
 Janet Noyes—Si., Mid., Low, Deep Rose.  
 Jeannin—Si., Early-Mid., Medium, Deep Rose.  
 Jessica—Si., Mid-late, Medium, Deep Rose.  
 Joya—Si., Early-Mid., Medium, Deep Rose.  
 Kathlee—Si., Mid-late, Medium, Rose.  
 Litany—Si., Early, Medium, Rose.  
 Lenore—Si., Mid-Late, Medium, Deep Rose.  
 Lustre—Si., Early, Medium, Rose.  
 Maderia—Si., Early-Mid., Tall, Deep Rose.  
 Madrigal—Si., Early, Low, Pink.  
 Manhattan—Si., Mid-late, Medium, Rose.  
 Marjorie—Si., Mid-late, Medium, Rose.  
 Masterpiece—Si., Mid., Medium, Rose.  
 Morning Star—Si., Early, Medium, Rose-Orange.  
 Noreen—H.H., Early-Mid., Medium, Deep Rose.  
 Oracle—Si., Early-Mid., Medium, Deep Rose.  
 Peter Pan—Si., Early-Mid., Medium, Deep Rose.  
 Pied Piper—Si., Early, Medium, Pale Pink.  
 Pinkie—Si., Early-Mid., Medium, Deep Rose.  
 Pink Star—Si., Mid-late, Medium, Light Rose.  
 Prelate—Si., Early-Mid., Medium, Deep Rose.  
 Radiance—Si., Mid., Low, Deep Rose.  
 Refulgence—Si., Early, Very Low, Rose.  
 Rosalie—Si., Mid-late, Medium, Pink.  
 Samson—Si., Mid-late, Medium, Rose.  
 Seashell—Si., Mid-late, Medium, Deep Rose.  
 Sebastian—H.H., Early, Tall, Rose.  
 Sterling—Si., Late, Very Low, Deep Rose.  
 Suwanee—Si., Early, Medium, Rose.  
 Twinkles—Si., Early-Mid., Medium, Light Rose.  
 Vision—Si., Early, Tall, Rose.  
 Winner—Si., Early, Medium, Pink.

## JOSEPH GABLE'S HYBRIDS

Cameo—Do., Early, Very Low, Pink.  
 Carol—H.H., Early, Medium, Pink.  
 Caroline Gable—H.H., Mid., Medium, Pink.  
 C-2-G—H.H., Early, Medium, Pink.  
 Maryann—Do., Mid., Low, Pink.  
 Rose Bud—Do., Early, Very Dwarf, Pink.  
 34-G—Edna—H.H., Early, Medium, Pink.  
 152-G—Si., Late, Medium, Pink.

## MISCELLANEOUS AZALEAS

Fedora—Si., Early, Medium, Rose.  
 J. T. Lovett—Si., Late, Low, Rose.  
 Macrantha—Fl. Pl.—Do., Late, Low, Rose.

## CHUGAI HYBRIDS

Gunrei—Si., Late, Very Low, Rose.  
 Mai-Hime—Si., Late, Very Low, Rose.  
 Tama-sugata—Si., Late, Very Late, Rose.  
 Tama-giku—Si., Late, Very Late, Rose.

## PERICAT HYBRIDS

Dawn—H.H., Late-Mid., Medium, Phlox Pink.  
 Hampton Rose—H.H., Early, Low, Violet Rose.  
 Mme. Pericat—H.H., Late-Mid., Medium, Violet Rose.  
 Morning Glow—H.H., Late-Mid., Medium, Phlox Pink.

## MAYO HYBRIDS

SpringDawn—Semi-Do., Late-Mid., Medium, Bl. Pink.

## U.S.D.A. OR YERKES HYBRIDS

U.S.D.A. 117—H.H., Early, Low, Lav. Pink.  
 U.S.D.A. Rose Banner—H.H., Early, Low, Rose.

## Cattleya Orchids

## In the Home or Greenhouse

For those plant lovers who would like to carry their green thumbs into the Living Room or Lean-Too. Orchids make a fascinating hobby and give added interest to those who visit you during the winter months when everything is cold and bleak out-of-doors.

## Some notes on Home Culture

For window sill culture, choose a window exposed to considerable sunlight. Provide thin curtains, or other means of filtering the light so plants are not exposed to the full strength of the direct sun. Place glass or metal vessels in the window, and put the plants on an inverted pot in the vessel. Place gravel in the bottom of the container and keep about one inch of water over the gravel thus keeping your humidity up. It is best to spray with a mist once a day and the plants watered at the pot thoroughly once a week after the plant has a good drying out. Relative humidity between 40% and 70% is about right and the fluctuation is beneficial to the plants. The Temperature, contrary to popular belief should run between 58 and 65 degrees. Not be-



low 50 degrees and a change of not more than 20 degrees all of a sudden. They can take gradual changes. For more details and good information obtain further information from "Orchids Are Easy To Grow" by H. B. Logan and L. C. Cosper, Ziff-Davis Publishing Co., New York. 6.00.

Well grown Hybrid Cattleya plants in 4 to 5 inch pots well established to bloom for the first time in 8 to 15 months with normal care.

3 plants, 4 to 5 inch pots, named varieties of good hybrids. (Offer No. 0-53-1) 1 white with colored lip, 1 pure white, 1 purple, regularly priced at 10.00 each. 25.00 P. P.

6 plants, 4 to 5 inch pots, named varieties of good hybrids. (Offer No. 0-53-2) 2 white with colored lip, 2 pure white, 2 purple, regularly priced at 10.00 each. 45.00 P. P.

Shipped Prepaid in Pots growing; anytime weather is not too severe to ship. Available all year around.  
All Orchids Shipped Prepaid in the United States

#### Special Collection Cattleya Hybrid Seedlings

##### In 4 to 5 Inch Pots

12 plants, all strong and healthy ready to bloom in 8 to 15 months time. These plants are of fine hybrid stock, well balanced Season and color including, pure whites, white with colored lip and various purple and lavender types. (Offer No. 0-53-3). Regular value 120.00.

90.00 P. P.

##### OUR SELECTION

## U. S. D. A.

#### Garden Hardy Outdoor Chrysanthemums

Just released after years of breeding against stunt mildew and leaf drop. They are the first mums we have ever offered here at Ten Oaks that would withstand 10 below with no protection at all.

Established, well rooted plants in 2½" Bands ready for May 1st delivery and planting out of doors for your full, fall array of colors. .30 each or in our 10 and 20 special collection offer. Shipped Prepaid East of Mississippi.

Algonquin—Si., yellow.  
Amarillo—P.P., Brick Red.  
Anthena—P.P., Lavender Pink.  
Blush—P.P., Lavender Pink.  
Bronze Quill—P.P. Large Handsome Deep Bronze.  
Carol—P.P., Light Bronze.

See page 22 for color listings.

Dainty-Lady—P.P. Light Pink.  
Fleur—P.P. Purple Red.  
Golden Cheer—P.P. Extra Fine Yellow.  
Grandeur—P.P. Pink.  
Ivory Glow—P.P. White.  
Light Pink—P.P. Good Pink.  
Margie—P.P. Red.  
Monticello—P.P. Brick Red, Yellow Center.  
Nellie—P.P. Bronze-Yellow.  
Omaha—Si. Quilled, Light Bronze.  
Pinkette—P.P. Blush Pink.  
Pot of Gold—P.P. Bronzy Yellow.  
Ponca—P.P. Purple Red.  
Royal Gem—P.P. Beautiful Deep Red.  
Ski-trail—P.P. Cream White.  
Tapico—P.P. Medium Bronze Good.  
Thanksgiving—P.P. Salmon Red.  
White—P.P. Good.  
N.P. 214—P.P. Wine.  
50-10—Si. Daisy Type, Bronze Very Fine.  
N.P. 303—Fringed Yellow, Very Beautiful, Unusual.  
N.P. 146—P.P. Wine.  
50-40—P.P. Deep Maroon.  
50-82—P.P. Yellow.  
50-68—P.P. White.  
50-76—P.P. Bronze.

## Special Collection Offers

#### First Time Offer of the Latest in Hardy Mums

Collections will be picked from varieties listed above. All plants strong and healthy established in 2½" cypress bands 3 to 5 inches tall, pinched, ready to set out.

OUR SELECTION, 10 all different, labeled as to name. (Offer No. C-53-1) 280

20 all different, labeled as to name. (Offer No. C-53-2) 5.00

Shipped Prepaid East of Mississippi

Please add 10% West of Mississippi

This Offer available Spring Only after May 1st

## EVERGREENS

All Evergreens are compact, pruned, branched specimens, regardless of size, not the usual spinly, lead-pencil type—with no branches.

All Evergreens are shipped "Express Collect"—No Parcel Post, Excepting the 3 to 5 inch plants in 2½" Cypress bands which are shipped Prepaid East of Mississippi. Please add 10% West of Mississippi.

We do not handle shipped in plants.

## CUT YOUR OWN BERRIES FOR CHRISTMAS IN THE FUTURE

### Holly Collection

Hollies in variety as listed in the following pages will be put in your collection Our Selection. We will give as broad a selection as possible including one Male and nine Female Hollies of the American, European and Chinese Hardy Types. Plants are all 3 to 5 inch in height and established in a 2½" Cypress band with a good root system ready to be bedded out for two or three years before planting them in their permanent location.

Hollies should be protected from the winds for the first few years, during the winter months. While they are still small plants, the simplest way to protect, is to invert a tall half or one bushel basket over the plant and lay a piece of flat stone on top of the basket to keep the wind from blowing your basket and breaking up your plants.

## Holly Collection

May 1st Delivery, Spring Only

10 all different, 3 to 5 inch, height, once transplanted in a 2½" cypress band, labeled. (Offer No. H-53-1) 1 Male, 9 Female. 8.50 P. P.

20 plants, 2 each of a variety, giving you 10 varieties, 3 to 5 inch, height, once transplanted in a 2½" Cypress band, labeled. (Offer No. H-53-2) 2 Males, 18 Females. 16.50 P. P.

### Our Selection

Shipped Prepaid East of Mississippi  
Please add 10% West of Mississippi

## Yew Collection

A Taxus or Yew Special

We have picked 10 of what we think are the best in Taxus and are growing them here at Ten Oaks, for future plants in landscape sizes. If you are interested in growing them yourself for some nice specimens in five or six years, here is a chance for you to get started very inexpensively. Available Spring Only after May 1st.

10 all different, 3 to 5 inch, height, once transplanted in a 2½" Cypress band, labeled. (Offer No. T-53-1) 4.50 P. P.

20 plants, 2 each of a variety, giving you 10 varieties, 3 to 5 inch, height, once transplanted in a 2½" Cypress band, labeled. (Offer No. T-53-2) 8.00 P. P.

### Our Selection

Plant Yews for an Azalea background.

### All Evergreen Special

This collection of 20 different types of Evergreen Plants, all of which are the Aristocrats of the Evergreen World; will someday give you fine specimen plants to use in your garden or around your home. Available Spring Only after May 1st.

20 all different, 3 to 5 inch, height, once transplanted in a 2½" Cypress band, labeled. (Offer No. E-53-3) 8.00 P. P.

### Our Selection

Shipped Prepaid East of Mississippi  
Please add 10% West of Mississippi

## Quality Evergreens

### NEEDLE AND BROADLEAF

#### ABIES (FIR)

*Abies Balsamea* (Balsam Fir). Rapid, slender grower with purple cones. Foliage silvery on underside.

12 to 15 in. Height, 3.00  
2½ to 3 ft. Height, 6.00

#### ABELIA

*Abelia Grandiflora* (Pale Pink Abelia). Bright shiny foliage. Pale pink and white blossoms throughout the Summer.

1 to 1½ ft. Height, 2.00  
2½ to 3 ft. Height, 3.50

#### ARBOR VITAE (SEE THUJA)

#### ANDROMEDA (SEE PIERIS)

#### BERBERIS (BARBERRY EVERGREEN)

*B. Juliana* (Juliana Barberry). Erect plant with compact growth. Yellow blooms, grayish blue berries.

10 to 12 in. Height, 2.00

*B. Triacanthophora* (Threespine Barberry). Narrow and pointed bright green foliage. Pink flower buds, opening to yellowish-pink.

1 to 1½ ft. Height, 3.00

#### BUXUS (BOXWOOD)

*B. Sempervirens* (American Green). Much faster grower than the English type. Excellent for use in hedges.

6 to 8 in. Height, .50

*B. Sempervirens* (American Golden). Same grower as American Green but with golden foliage.

6 to 8 in. Height, .75

*B. Chinese*. Large rounded leaf, compact grower, more bush than upright.

6 to 8 in. Height, .75  
12 to 18 in. Height, 2.50

Spray your plants early—Pages 3 and 4.



**B. Suffruticosa (English).** Known to many as the dwarf boxwood, used often for low hedging in formal gardens.

4 to 6 in. Height, .50  
6 to 8 in. Height, 1.25  
8 to 10 in. Height, 2.25

**Cedrus Deodora.** Featherly blue foliage. Hardy South of Phila.

2 to 3 feet, 4.75

#### CHAMAECYPARIS (THE RETINOSPORA AND CYPRESS)

**C. Lawsoniana (Green Lawson).** Handsome columnar tree, metallic blue foliage.

3 to 3½ ft. Height, 5.00

**C. Obtusa (Tom Thumb—Dwarf).** Dwarf and compact with deep rich green foliage.

15 to 18 in. Height and Width, 3.00

**C. Pisifera Plumosa (Green Plume).** Upright grower, light green foliage, soft and feathery.

15 to 18 in. Height, 3.00

**C. Pisifera Plumosa Aurea (Golden Plume).** Upright grower, bright golden tipped branches.

15 to 18 in. Height, 3.00

**C. Pisifera Plumosa Variegata (Silver Plume).** Upright grower, bright silvery foliage.

15 to 18 in. Height, 3.00

**C. Pisifera Squarrosa Veitchi (Blue Moss).** Upright grower, blue gray, feathery, dense foliage.

15 to 18 in. Height, 3.00  
18 to 24 in. Height, 3.50

#### CRYPTOMERIA

**C. Japonica (Japanese Cedar).** Upright symmetrical grower. Fine feathery foliage with beautiful cones in Fall.

3 to 3½ ft. Height, 5.00

**C. Japonica Lobbi.** Hybrid form of Japonica. Upright compact grower. Grafted plants.

15 to 18 in. Height, 3.00

#### ELEAGNUS

**Eleagnus Pungens (Olive).** Shrub type growth with silvery-green leaves. Small silvery-white flowers, very floriferous, blooming in Autumn, flowers very fragrant.

1 to 1½ ft. Height, 2.50  
2 to 2½ ft. Height, 4.00

#### EUONYMUS

**Euonymus Vegetus (Evergreen Bittersweet).** Evergreen, trailing shrub. Berries red in profusion.

1½ to 2 ft. Width, 3.00

#### FIR (SEE ABIES)

Check map in back of catalog.

#### HEMLOCK (SEE TSUGA)

#### HOLLY (SEE ILEX)

#### ILEX (HOLLIES)

All of our Hollies are propagated from berry-bearing stock.

We will also have most of the below listed Hollies in 2½ inch bands for delivery in the Spring only.

Approximate height is 3 to 5 inches, in 2½" Cypress bands, priced @ 1.00 each. P. P. East of Mississippi.

For small Hollies see also "Collection Offers" in this catalogue. Add 10% West of Mississippi.

#### ILEX AQUIFOLIA (ENGLISH HOLLY)

**I. Aquifolia Butler.** Very glossy leaves, with large triangular spiny teeth. Fruit a bright red. A hardy strain.

3 to 5 in. Height, 1.00  
10 to 12 in. Height, 2.00

**I. Aquifolia Balearica.** A very beautiful form of English Holly, with large glossy leaves. Upright but broad in growth. Fruit very large and a bright red.

3 to 5 in. Height, 1.00  
10 to 12 in. Height, 3.00

**I. Aquifolia Beadle's Spiny Leaf.** A very rare Holly, dark green leaves and very spiny.

3 to 5 in. Height, 1.00  
10 to 12 in. Height, 3.00

**I. Aquifolia Bisexual.** A unusual holly bearing both male and female blooms. Berries.

3 to 5 in. Height, 1.00

**I. Aquifolia Camelliafolia.** A very beautiful form of the English Holly, with Camellia-like foliage which colors a beautiful bronze-green in Winter. Very large red berries. Form rather broad, more so than tall.

3 to 5 in. Height, 1.00  
6 to 8 in. Height, 2.00

**I. Aquifolia Pyramidal—Compacta.** A very compact form of English Holly with crowded erect growing branches, yet broad. Leaves dark green. They are toothed and smooth. The berries are bright red.

3 to 5 in. Height, 1.00  
10 to 12 in. Height, 3.00

#### ILEX CORNUTA (CHINESE HOLLY)

**I. Cornuta Burfordi.** Mostly smooth shiny dark green leaves. The plant is handsome and the berries are large and very bright red.

3 to 5 in. Height, 1.00  
10 to 12 in. Height, 2.00  
18 to 24 in. Height and Width, 7.00

**I. Cornuta Femina.** Compact pyramidal grower. Berry-bearing leaves dark glossy green, very showy.

3 to 5 in. Height, 1.00

Check map in back of this catalog.

**I. Cornuta Cilio—Spinosa.** Growth extremely upright, usually in the form of a pyramid. Leaves are medium in size and dark green. Red berries. Perfectly hardy.

3 to 5 in. Height, 1.00  
6 to 8 in. Height, 3.00

**I. Cornuta Pernyi.** A slow growing pyramidal plant having small spined, glossy green leaves and scarlet berries which cling close to the stem.

3 to 5 in. Height, 1.00  
6 to 8 in. Height, 2.00

**I. Cornuta Pernyi Veitchii.** Leaves are a little larger than Pernyi and are more pointed. Berries scarlet, clinging close to the stem.

3 to 5 in. Height, 1.00  
6 to 8 in. Height, 2.00

**I. Cornuta Rotunda.** Plant is very bushy, growing as broad as it does tall. Leaves dark green and very spiny.

3 to 5 in. Height, 1.00  
6 to 8 in. Height, 2.00

#### ILEX CRENATA (JAPANESE HOLLY)

**I. Crenata.** A heavy branched bush form that prunes well. The leaves are small and lustrous green. Fruit is black.

3 to 5 in. Height, .50  
8 to 10 in. Height, 2.50  
15 to 18 in. Height, 3.50  
1½ to 2 ft. Height, 4.50

**I. Crenata Fortunei.** A strong growing plant with dark green leaves, somewhat longer than wide. Berries are black. Upright growth. Prunes well.

3 to 5 in. Height, .50  
6 to 8 in. Width, 2.00  
10 to 12 in. Width, 3.00  
15 to 18 in. Width, 3.50

**I. Crenata Microphylla.** This is the true form of Microphylla. Tiny leaved Holly with many twiggy branches making it a dense plant. An excellent Evergreen for low planting.

3 to 5 in. Height, .50  
6 to 8 in. Width, 1.75  
10 to 15 in. Width, 3.00

**I. Crenata Rotundifolia.** A very compact plant with bright shiny Evergreen leaves. Oval shape in growth. Fruit is black. Prunes well.

3 to 5 in. Height, .50  
6 to 8 in. Width, 2.00  
10 to 12 in. Width, 3.00  
15 to 18 in. Width, 3.50

**I. Crenata Bullata (Convexa).** A fairly slow growing form of Crenata, with glossy box-shaped leaves. Very pretty and good for borders or rock gardens.

3 to 5 in. Height, .50  
10 to 12 in. Width, 2.25  
12 to 15 in. Width, 3.50

#### ILEX GLABRA (INKBERRY)

**I. Opaca Arden.** Wonderful and good grower. Originated in Del.

3 to 5 in. Height, 1.00

**I. Glabra.** Upright grower, medium green foliage, fruit black.

15 to 18 in. Width, 3.50

#### ILEX OPACA (AMERICAN HOLLY)

The following varieties of Opaca are named and selected clones and are not collected seedlings.

**I. Opaca Clark.** A beautiful Holly with lustrous green leaves deeply toothed. Berries a very bright red. Vigorous grower.

10 to 12 in. Height, 2.00

**I. Opaca Croonenburg.** A Holly with dark green leaves that are very large on mature trees. Noted for its very heavy fruiting of bright red berries.

10 to 12 in. Height, 2.00

**I. Opaca Delia Bradley.** Leaves are evenly toothed. Berries bright red in great profusion. Noted for its fruiting habit on small plants.

3 to 5 in. Height, 1.00  
12 to 15 in. Height, 3.00  
18 to 24 in. Height, 4.00

**I. Opaca Dorsey.** Large medium green leaves and large bright red berries in profusion. Blooms late so it never misses a berry set.

12 to 15 in. Height, 3.00  
18 to 24 in. Height, 4.00

**I. Opaca, East Palatka.** Evergreen leaves, practically spinless. Deep red berries borne in heavy clusters.

3 to 5 in. Height, 1.00

**I. Opaca Forage.** Leaves nearly twice as long as broad, deep green and nicely toothed. Berries red.

10 to 12 in. Height, 2.00

**I. Opaca Howardi.** Deep dark green leaves, some with teeth and others with few or none at all. Berries deep red.

8 to 10 in. Height, 2.00

**I. Opaca Knight.** Grows in a perfect pyramid and straight as a tulip tree, deep red berries hang on until tree blooms again the next Spring. Leaves are well toothed.

3 to 5 in. Height, 1.00  
15 to 18 in. Height, 3.00  
2 to 2½ ft. Height, 5.00

**I. Opaca Joyce.** Dark green leaves, evenly toothed, glossy. Berries are very bright red.

15 to 18 in. Height, 3.00  
18 to 24 in. Height, 4.00

**I. Opaca Lake City.** Pyramidal growing type. Heavy fruiter.

3 to 5 in. Height, 1.00



**I. Opaca Male.** Perfect deep green foliage that will make a good Evergreen for any group. Hollies produce staminate and pistillate flowers on different plants. Therefore a male plant should be planted somewhere near a group of berry-bearing plants to set fruits. All other varieties listed in this catalogue are femina or berry-bearing. Generally one male plant will be all that is needed if placed to the windward.

3 to 5 in. Height, 1.00  
15 to 18 in. Height, 3.50  
2 to 2½ ft. Height, 4.50

**I. Opaca Merry Christmas.** A very vigorous grower with foliage and berries of a very good color.

3 to 5 in. Height, 1.00  
10 to 12 in. Height, 2.00

**I. Opaca Richards.** A new P.I. release of rare beauty, large deep green leaves and deep red berries, trees grows very straight.

3 to 5 in. Height, 1.00  
10 to 12 in. Height, 2.00

**I. Opaca Snowden.** Very heavy foliage, berries larger than average and persistent.

10 to 12 in. Height, 2.00

**I. Opaca Taber No. 3.** Very handsome holly with bright shiny green leaves. Berries bright red.

3 to 5 in. Height, 1.00

**I. Opaca Ten Oaks.** Large deep green oblong leaf, large orange-red berries. Heavy fruiter.

15 to 18 in. Height, 3.00

**Ligustrum Lucidum.** Evergreen laurel like foliage, glossy.

1½ to 2 ft. Height, 4.50

#### JUNIPERUS (THE JUNIPERS)

**J. Chinensis Pfitzeriana (Pfitzer Juniper).** Broad spreading habit, with gray-green foliage.

1 to 1½ ft. Width, 3.50  
1½ to 2 ft. Width, 4.50

**J. Communis Depressa Plumosa (Andorra).** Low growing, spreading plant with silvery green foliage which turns to a rich purple in Autumn.

1 to 1½ ft. Width, 3.00  
1½ to 2 ft. Width, 4.00

**J. Excelsa Stricta (Spiny Greek).** Compact, slow grower with gray-green foliage.

1½ to 2 ft. Height, 4.50

**J. Hibernica (Irish).** Upright grower, very slim with gray-green foliage.

1½ to 2 ft. Height, 2.00  
2 to 2½ ft. Height, 2.50

**J. Horizontalis (Creeping Juniper).** Very low growing, clinging to the ground, with good green foliage. Excellent for planting of steep banks as the roots will hold the soil from washing.

2 to 2½ ft. Width, 2.50

#### MAGNOLIA

**M. Grandiflora.** Deep green foliage the year around, 12 inch white flowers in Mid-Summer.

6 to 8 in. Height, 1.25  
3 to 4 ft. Height, 8.00

#### OSMANTHUS

**O. Aquifolium (Sweet Holly).** Very spiny leafed, looking like one of the Hollies. Flowers are very fragrant. Grows to same shape as Holly.

10 to 12 in. Height, 1.50  
18 to 24 in. Height, 6.00

**O. Fortunei.** Light green, large leaf, small tooth. Excellent.

15 to 18 in. Height, 3.75 °

#### PICEA (THE SPRUCES)

**P. Canadensis Alba (White Spruce).** Compact growing specimen, densely clothed in silvery green needles.

1 to 1½ ft. Height, 3.00  
1½ to 2 ft. Height, 4.00  
2 to 2½ ft. Height, 5.00

**P. Excelsa (Norway Spruce).** Rapid grower, dark green foliage.

2 to 2½ ft. Height, 4.00

#### PIERIS (ANDROMEDA)

**P. Japonica (Japanese Andromeda).** Broadleaf evergreen. Thick, shiny leaves, turning bronze in Winter, white blossoms in early Spring. Thick bushy plants.

8 to 10 in. Height, 1.75  
12 to 15 in. Height, 2.25  
15 to 18 in. Height, 3.50

#### PINUS (THE PINES)

**P. Montana Mughus (Mugho Pine).** Slow growing, very hardy, compact and neat in habit.

12 to 15 in. Height, 3.75  
15 to 18 in. Height, 5.00

**P. Resinosa (Red Pine).** Long dark green needles on stout spreading branches. Hardy and vigorous.

1 to 1½ ft. Height, 3.50  
2 to 2½ ft. Height, 5.00

**P. Strobus (White Pine).** Soft feathery bluish-green foliage. We think it is one of the finest.

1½ to 2 ft. Height, 3.00  
6 to 8 ft. Height, 20.00

**P. Sylvestris (Scotch Pine).** Rapid grower, silvery foliage.

1½ to 2 ft. Height, 4.00  
2 to 2½ ft. Height, 5.00

#### PRUNUS (CHERRY LAUREL)

**P. Laurocerasus Schipkaensis (Cherry Laurel).** Waxy Laurel-like foliage. A fine broadleaf evergreen. Plants are very compact.

1½ to 2 ft. Height, 3.00

## PYRACANTHA (FIRETHORN)

**P. Coccinea Lalandi (Spreading Firethorn).** Dark green leaves, small white flowers. Clusters of orange-red berries in late Summer.

3 to 3½ ft. width, 7.00

**P. Coccinea Lalandi (Upright Firethorn).** Dark green leaves, small white flowers. Clusters of orange-red berries in late Summer.

15 to 18 in. Height, 3.00  
3 to 4 ft. Height, 8.00

**P. Crenulata (Red Berry Firethorn).** Dark green leaves, small white flowers. Clusters of bright red berries in late Summer.

15 to 18 in. Height, 3.00  
18 to 24 in. Height, 5.00

RETINOSPORA (SEE CHAMAECYPARIS)  
HYBRID RHODODENDRONS

These Hybrid Rhododendrons are grown here so as to be acclimated, and are not imported. The below listed plants are very heavy bushy plants, and are 12 to 18 inches in height. 5.75 each

## SPECIAL OFFER R-53-1

Available Spring & Fall at Anytime

3 Hybrid Rhododendrons our choice labeled as to variety, 1-Red, 1-White and 1-Lavender.  
16.50 Express Collect

## OFFER R-53-2

6 Hybrid Rhododendrons our choice labeled as to variety, 4-Red, 1-White and 1-Lavender.  
30.50 Express Collect

Caractacus (Crimson Red)  
Catawbiense Alba (White)  
Dr. Rutgers (Raspberry Red)  
Old Port (Deep Red)  
Roseum Elegans (Rosy Lilac)  
Van de Broeke (Raspberry Red)  
Van Weerden Poelman (Crimson Red)

**R. Album Elegans.** Flushed white, Hybrid Rhododendron. Only 2-2½ ft. size available.

2 to 2½ ft. Height, 7.50

**R. Mad. de Bruin.** Good deep red. Large head.

6 to 8 in. Height, 2.25

## NATIVE RHODODENDRONS

Not collected—our own seedlings.

**R. Carolinianum.** Bright pink, small leafed, bushy plants.

8 to 12 in. Height, 2.50

**R. Catawbiense.** Rosy purple. Heavy bushy plants.

6 to 8 in. Height, 1.75  
1½ to 2 ft. Height, 7.50

**R. Maximum.** White to light pink. Heavy bushy plants.  
6 to 8 in. Height, 1.75

**R. Hybrid Seedlings.** From hardy stock of reds and pinks.

8 to 12 in. Height, 2.50

## SPRUCE (SEE PICEA)

## TAXUS (THE YEWS)

ALL VARIETIES AVAILABLE 3 TO 5 INCHES  
SPRING ONLY  
AT .50 EACH P. P.

**T. Baccata Aurea (Golden English Yew).** Pyramidal form, compact, with bright golden yellow leaves.

10 to 12 in. Height, 2.50  
12 to 15 in. Height, 3.00  
15 to 18 in. Height, 4.00

**T. Baccata Erecta (Erect English Yew).** Erect growing type of English Yew.

10 to 12 in. Height, 2.50

**T. Baccata Hibernica (Irish Yew).** A strictly fastigiate form, with stout crowded upright branches. Very dark glossy green foliage. Not too hardy North of Philadelphia.

6 to 8 in. Height, 1.50  
8 to 10 in. Height, 2.00  
10 to 15 in. Height, 3.00

**T. Baccata Repandens (Weeping English Yew).** Foliage dark green, with branches giving a nice weeping effect. Excellent for low plantings.

6 to 8 in. Width, 2.50  
10 to 12 in. Width, 3.00  
12 to 15 in. Width, 3.75  
15 to 18 in. Width, 5.50

**T. Cuspidata (Japanese Spreading Yew).** Compact, spreading Evergreen with dark green foliage and red berries.

6 to 8 in. Width, 1.50  
10 to 12 in. Width, 3.00  
12 to 15 in. Width, 3.50  
15 to 18 in. Width, 4.75  
18 to 20 in. Width, 5.75

**T. Cuspidata Femina.** A select heavy berry form of Cuspidata. Dwarf Yew with good growing habits.

10 to 12 in. Width, 3.50  
12 to 15 in. Width, 4.50

**T. Cuspidata Capitata (Japanese Yew Tree).** Upright, pyramidal grower. Dark green foliage. We list two prices herein. The more expensive are perfect pyramidal form.

2 to 2½ ft. Height, 5.00  
2 to 2½ ft. Height, 8.00

**T. Cuspidata Densa (New Compact Dwarf Japanese Yew).** Low growing, very dense foliage and a good dark green.

6 to 8 in. Width, 2.00  
10 to 12 in. Width, 3.50  
12 to 15 in. Width, 4.00



**T. Cuspidata Nana Brevifolia.** Spreading branches closely clothed with short branchlets. Somewhat shorter and duller than the type. Slow growing, compact.

6 to 8 in. Width, 2.50  
8 to 10 in. Width, 3.00

**T. Cuspidata Nana.** A very dwarf, miniature clone, with foliage same as Brevifolia. Excellent for use in rock gardens.

6 to 8 in. Width, 3.00

**T. Media Andersoni.** Wide vase-like form of Media. Excellent for hedges or as a specimen plant.

10 to 12 in. Width, 3.00  
12 to 15 in. Width, 3.50

**T. Media Hatfield No. 2.** Upright grower in a globe shape, very dense and dark green foliage. Very wonderful plant.

8 to 10 in. Height, 2.50  
10 to 12 in. Height, 3.00  
2 to 2½ ft. Height, 7.50

**T. Media Hicksii (Hicks Yew).** Very distinct columnar form with upright branches. Dark green foliage.

10 to 12 in. Height, 2.00  
1 to 1½ ft. Height, 3.00  
1½ to 2 ft. Height, 4.00  
2 to 2½ ft. Height, 6.50  
2½ to 3 ft. Height, 7.50

**T. Media Kelseyi (Kelsey Yew).** Upright grower with very dense foliage. Somewhat like that of Nana. Fairly slow grower, bearing berries on very small plants.

12 to 15 in. Height, 3.50

**T. Media Ovata.** Upright, but broad in habit of growth. A heavy fruiter with large dark green foliage.

10 to 12 in. Height, 2.50  
12 to 15 in. Height, 3.00  
18 to 24 in. Height, 7.50

#### THUJA (ARBOR VITAE)

**T. Occidentalis (American Arbor Vitae).** Upright flat-leaved Evergreen, medium green foliage, becoming bronzy in Winter.

2½ to 3 ft. Height, 3.50  
3½ to 4 ft. Height, 4.50

**T. Occidentalis Globosa (Globe Arbor Vitae).** Dwarf grower, globe in shape without pruning. Medium green foliage.

12 to 15 in. Height, 1.75  
15 to 18 in. Height, 2.00

**T. Occidentalis Boothi.** Improved form of Globe Arbor Vitae.

15 to 18 in. Height and Width, 3.00

**T. Occidentalis Pyramidalis (Pyramid Arbor Vitae).** Glossy, dark green foliage. Upright pyramid type grower.

2 to 2½ ft. Height, 3.00  
2½ to 3 ft. Height, 3.75  
3 to 4 ft. Height, 4.50  
5 to 6 ft. Height, 7.50

**T. Occidentalis Nigra.** Improved form of American Arbor Vitae. More symmetrical in form, deeper green foliage.

6 to 8 in. Height, 1.00

#### TSUGA (HEMLOCK)

**T. Canadensis (Canadian Hemlock).** Very graceful branches, medium green foliage. Perfectly at home in the coldest or shadiest exposure. Pruned specimens.

3½ to 4 ft. Height, 5.50  
4 to 5 ft. Height, 7.50  
5 to 6 ft. Height, 9.50

#### VIBURNUM

**Viburnum Rhytidophyllum (Leather Leaf Viburnum).** Evergreen Viburnum with long fairly narrow rough leaves. Fruit is bright red in large clusters, turning black. Will do well in shade.

2 to 2½ ft. Height, 5.00  
2½ to 3 ft. Height, 5.50

#### YEWS (SEE TAXUS)

## Deciduous Ornamental Trees and Shrubs

#### ACER (THE MAPLES)

**A. Dasycarpum (Silver Maple).** Foliage is a light green and silvery on the underside. A very fast grower and hardy.

4 to 5 ft. Height B.R., 2.00

**A. Palmatum Atropurpureum (Bloodleaf Maple).** The true dwarf Japanese Bloodleaf Maple. Foliage is a rich purple red.

10 to 12 in. Height B&B, 4.00  
12 to 18 in. Height B&B, 5.00

**A. Platanoides (Norway Maple).** Grows wide and spreading at the top, with dark green foliage.

6 to 8 ft. Height, 1 in. cal. B.R., 4.00  
8 to 10 ft. Height, 2 to 2½ in. cal. B.R., 8.00

**A. Rubrum (Red Maple).** Sometimes called Scarlet Maple. Grows with a spreading top, has clusters of reddish flowers in Spring, brilliant red foliage in the Fall.

4 to 5 ft. Height B.R., 3.00  
6 to 7 ft. Height B.R., 4.00  
8 to 10 ft. Height, 1 to 1½ in. cal. B.R., 6.00

**A. Saccharum (Sugar Maple).** An ideal tree for lawns, streets or drives. Has good green foliage in Summer with gorgeous coloring in Autumn. Grass will grow under it, and it will not break-up walks.

4 to 5 ft. Height B.R., 3.00  
6 to 7 ft. Height B.R., 5.00  
8 to 10 ft. Height, 1 in. cal. B.R., 7.00  
12 to 14 ft. Height, 2 in. cal., Heavy top B&B, 35.00

Sizes available under each description.

Water Azaleas in a Fall drought.

**AMELANCHIER CANADENSIS (THE SHADBUSH)**  
Pure white flowers in Spring.5 to 6 ft. Height B.R., 4.00  
6 to 7 ft. Height B.R., 5.00**BEECH (SEE FAGUS)****BETULA (THE BIRCH)****B. Papyrifera (White or Canoe Birch).** Large leaved with white bark. Medium grower.4½ to 5 ft. Height, 1 in. cal. B&B, 3.00  
10 to 12 ft. Height, 2 in. cal. B&B, 15.00**B. Pendula Gracilis (Cutleaf Weeping Birch).** Medium graceful grower. Small cutleaf.6 to 7 ft. Height B&B, 8.00  
7 to 8 ft. Height B&B, 12.00**BERBERIS (BARBERRY)****B. Thunbergi Atropurpurea (Japanese Redleaf Barberry).** Brilliant scarlet foliage. Needs sun to keep color.

3 ft. Height, 3 ft. Width Specimens B&amp;B, 5.00

**CERCIS (RED BUD OR JUDAS TREE)****C. Canadensis (American Red Bud).** Reddish purple flowers in the Spring. Medium sized tree.5 to 6 ft. Height B.R., 5.00  
6 to 8 ft. Height B.R., 6.00**CHERRY (SEE PRUNUS)****CORNUS (THE DOGWOODS)****C. Florida (White Flowering Dogwood).** White blossoms in early Spring before leaves appear. Brilliant scarlet berries and leaves in Autumn.1½ to 2 ft. Height B&B, 1.50  
4 to 5 ft. Height B&B, 5.50  
6 to 7 ft. Height B&B, 8.00

10 to 12 ft. Height, Heavy top, 4 to 5 in. cal. B&amp;B, 75.00

**C. Florida Rubra (Pink or Red Flowering Dogwood).** Clear, large pink flowers in Spring. Brilliant scarlet foliage and berries in Autumn.2½ to 3 ft. Height, bushy plants, grafted B&B, 6.00  
2½ to 3 ft. Height, bushy plants, own roots B&B, 8.00**CRABAPPLE (SEE MALUS)****CYDONIA (FLOWERING QUINCE)****C. Japonica (Flowering Quince).** Large, deep crimson and orange-red blossoms are produced in masses as the rich glossy green leaves come out.

18 to 24 in. Width B&amp;B, 5.00

**C. Boule de Fue (Red Quince).** Same as Japonica except that it has red blossoms.

2½ to 3 ft. Height B&amp;B, 5.00

**C. Nivalis (White Quince).** Same as Japonica except that it has white blossoms.

2½ to 3 ft. Height B&amp;B, 5.00

**DEUTZIA****D. Scabra Pride of Rochester.** Pink-tinged flowers blooming in June.

3 to 4 ft. Height, 2.00

**D. Gracilis (Dwarf Deutzia).** Pure white flowers bloom in May. Very dwarf grower.

12 to 15 in. Height, 2.00

**D. Gracilis Rosea.** Also dwarf in growth. Pinkish colored flowers blooming in May.

15 to 18 in. Height, 2.00

**DOGWOOD (SEE CORNUS)****ELM (SEE ULMUS)****FAGUS (THE BEECH)****F. Americana (American Beech).** Bark is smooth and gray in color. Beautiful golden yellow foliage in Autumn. These trees are heavy specimens.6 to 8 ft. Height, 2½ to 3 in. cal. B&B, 25.00  
10 to 12 ft. Height, 3½ to 4 in. cal. B&B, 50.00**F. European (Copper or Purple Beech).** A very handsome copper Beech, very slow growing.1 to 1½ ft. Height B&B, 4.00  
2 to 2½ ft. Height B&B, 5.00**FORSYTHIA****F. Spectabilis.** One of the best Forsythia, rich golden yellow flowers in great profusion. Plants are very heavy branched specimens.

3 to 4 ft. Height B&amp;B, 2.00

**F. Viridissima (Greenstem Forsythia).** Yellow flowers in profusion, weeping habit of growth.

4 to 5 ft. Height B&amp;B, 3.00

**GINKGO****G. Biloba (Maidenhair Tree).** Leaves shaped like maiden-hair fern. Irregular habit of growth.

2½ to 3 ft. Height B&amp;B, 3.00

**HYDRANGEA****H. Opuloides Otaska (Blue Hydrangea).** White, bluish flowers during July and August. Grows dwarf and compact.

18 to 24 in. Height B&amp;B, 1.75

**H. Paniculata Grandiflora (White Summer).** White flowers in late Summer and early Fall which change to red as the season advances.

2½ to 3 ft. Height B&amp;B, 2.00

---

Azaleas like an acid soil.

---

2 to 4 inch plants; Spring only.



## HYPERICUM

*Patalum Henryi* (Henry Hypericum). Yellow flowers in July and August.

1½ to 2 ft. Height B&B, 2.00

## ILEX

*I. Verticullata* (Winterberry). A shrub type Holly with spreading branches covered with bright red fruit in Autumn.

3 to 4 ft. Height B&B, 3.00

## JUDAS TREE (SEE CERCIS)

## LIGUSTRUM (PRIVET)

*L. Ovalifolium* (California Privet). Glossy green foliage. Used mostly for hedges as it is a very fast grower. We do not stock many of these plants—please order in advance.

15 to 18 in. Height B.R., .40

18 to 24 in. Height B.R., .50

2 to 3 ft. Height B.R., .70

## LILAC (SEE SYRINGA)

## LIQUIDAMBAR

*L. Styraciflua* (Sweet Gum). Very beautiful Autumn coloring. Star-shaped leaves. Makes a fine shade tree. Heavy branched specimens.

5 to 6 ft. Height B.R., 4.00

## LONICERA (THE BUSH HONEYSUCKLE)

*L. Morrowi*. Creamy white flowers, red fruit lasting until Autumn.

4 to 5 ft. Height B&B, 3.00

## MAGNOLIA

*M. Grandiflora* (See Evergreen list)

*M. Soulangeana*. White flowers tinted pink. Geogeous bloom in April and May.

2 to 3 ft. Height B&B, 5.00

*M. Stellata* (Star Magnolia). Pure white semi-double flowers blooming early in Spring, usually April.

18 to 24 in. Height B&B, 5.00

## MALUS (FLOWERING CRABS)

*M. Atrosanguinea* (Carmine Crab). Single red flowers in early Spring. Specimen trees.

6 to 7 ft. Height, 5 to 6 ft. Width B&B, 30.00

*M. Floribunda* (Japanese Flowering Crab). Light rose blossoms followed by yellowish green fruit. Specimen trees.

8 to 9 ft. Height, 6 to 7 ft. Width B&B, 75.00

*M. Parkmanni* (Parkman Crab). Double pink blooms followed by brownish red fruit. Slow grower.

5 to 6 ft. Height B.R., 4.50

*M. Prince Georges* (Hybrid). Very handsome double shell-pink flowers.

5 to 6 ft. Height B.R., 4.50

*M. Spectabilis* (Chinese Flowering Crab). Pale pink semi-double flowers.

5 to 6 ft. Height B.R., 4.50

## MOCKORANGE (SEE PHILADELPHUS)

## OAKS (SEE QUERCUS)

## OXYDENDRUM (SOURWOOD)

*O. Arboreum* (Sourwood). White flowers in Summer with thick shiny leaves. Gray fruits and beautiful scarlet foliage in Autumn. Heavy, bushy plants.

3 to 3½ ft. Height B&B, 5.00

## PHILADELPHUS (MOCKORANGE)

*P. Coronarius* (Sweet Mockorange). Snow-white flowers in May and June.

3 to 4 ft. Height B&B, 2.00

*P. Virginalis*. Large pure white double flowers.

3 to 4 ft. Height B&B, 2.00

## PRIVET (SEE LIGUSTRUM)

## PRUNUS (FLOWERING CHERRIES)

*P. Kwanzan*. Large double deep pink flowers. These are on own roots, not grafts.

4 to 5 ft. Height B&B, 6.00

5 to 6 ft. Height B&B, 8.00

*P. Subhirtella Pendula* (Weeping Cherry). Single pink flower blooming in early Spring in great profusion.

5 to 6 ft. Height B&B, 12.00

## QUERCUS (THE OAKS)

*Q. Coccinea* (Scarlet Oak). Brilliant Fall foliage.

6 to 8 ft. Height, 3 in. cal. B&B, 35.00

10 to 12 ft. Height, 4 in. cal. B&B, 55.00

*Q. Palustris* (Pin Oak). A tall vigorous growing tree.

5 to 6 ft. Height, 1 to 1½ in. cal. B.R., 4.00

6 to 7 ft. Height, 1½ to 2 in. cal. B.R., 5.00

6 to 7 ft. Height, 2 in. cal. B&B, 15.00

7 to 8 ft. Height, 2 in. cal. B&B, 35.00

9 to 10 ft. Height, 3 in. cal. B&B, 50.00

15 to 16 ft. Height, 4 in. cal. B&B, 75.00

*Q. Rubra* (Red Oak). Fast growing. Good Fall coloring.

5 to 6 ft. Height, 1½ to 2 in. cal. B.R., 5.00

6 to 8 ft. Height, 2 in. cal. B&B, 15.00

8 to 10 ft. Height, 3 in. cal. B&B, 35.00

10 to 12 ft. Height, 3 in. cal. B&B, 55.00

*Q. Phellos* (Willow Oak). Small willow-like leaves, turning pale yellow in the Fall.

5 to 7 ft. Height, 1½ to 2 in. cal. B.R., 8.00

## QUINCE (SEE CYDONIA)

## RED BUD (SEE CERCIS)

**SHADBUSH (SEE AMELANCHIER)****SNOWBALL (SEE VIBURNUM)****SORBUS (THE MOUNTAIN ASH)**

- S. Aucuparia** (European Mountain Ash). Nice form of growth, produces scarlet berries from July to Winter.  
5 to 6 ft. Height B.R., 3.50

**SPIREA**

- S. Arguta** (Garland Spirea). White flowers in early Spring.  
4 to 5 ft. Height B&B, 3.00
- S. Billardia Rosea** (Pink Billiard Spirea). Bright pink flower spikes from July to October.  
2½ to 3 ft. Height B&B, 2.00
- S. Prunifolia** (Bridalwreath). Tiny double white flowers in Spring. Brilliant orange in Fall.  
2½ to 3 ft. Height B&B, 2.00
- S. Vanhouttei**. White flowers and beautiful foliage.  
4 to 4½ ft. Height B&B, 3.00

**SWEET GUM (SEE LIQUIDAMBAR)****SYRINGA (THE LILAC)**

- French Hybrid**. Mixed as to varieties but all are French Hybrids.  
2 to 3 ft. Height B&B, 2.50  
3 to 3½ ft. Height B&B, 3.00

**ULMUS (ELM)**

- U. American** (American Elm). Makes a beautiful medium-sized shade tree. Fairly rapid grower. Arching branches.  
6 to 7 ft. Height, 1 to 1½ in. cal. B.R., 3.50  
8 to 10 ft. Height, 2 to 2½ in. cal. B.R., 5.00

**VIBURNUM**

- V. Americanum** (American Cranberry). White flowers in June with gorgeous red berries in Fall and Winter.  
2½ to 3 ft. Height B&B, 2.00  
4 to 4½ ft. Height B&B, 3.00
- V. Carlesi** (Fragrant Viburnum). Waxy, bluish-pink flowers of exquisite fragrance.  
18 to 24 in. Height B&B, 3.50  
2 to 2½ ft. Height B&B, 4.00

- V. Dentatum** (Arrowwood). White flowers in May and June. Leaves are rich red and purple in Autumn.  
2½ to 3 ft. Height B&B, 2.00

- V. Dilatatum** (Linden Viburnum). Upright grower with pure white flowers in May and June. Scarlet berries in Autumn.  
2½ to 3 ft. Height B&B, 3.00  
5 to 6 ft. Height B&B, 6.00

- V. Macrocephallum Sterlis**. A rare variety and one of the handsomest. The flowers in Spring are pure white and are in a head, making a perfect ball.  
3 to 3½ ft. Height B&B, 5.00

- V. Plicatum** (Jap. Snowball). Pure white flowers in June, forming perfect round heads.  
2½ to 3 ft. Height B&B, 2.00

- V. Prunifolium**. Upright grower with white flowers in Spring. Flowers are flowered with white, then red fruit turning to black. These plants are heavy specimens.  
6 to 7 ft. Height B&B, 10.00

**WEIGELA**

- W. Eva Rathka** (Redflowered Weigela). Dark crimson flowers from June to August.  
1½ to 2 ft. Height B&B, 1.50

## Roses

We have here at the Nursery a small display of the latest and best varieties in the Hybrid Tea Roses. Everyone is invited to see these roses along with our private garden of Azaleas and other plants, though you may never spend a red cent. They are for your enjoyment and also to help you decide as to color in the rose you desire, as it is nearly impossible to get the true growth and color of a rose from a colored picture. If you would like to order roses we handle "The Star Roses" which we have found to be the best over a period of years. The roses we ship are dormant and at current prices of 2.00 each and 2.50 for the newer patented roses. You may purchase at the Nursery established 2 year roses in 9 inch pots from 2.00 to 3.00 each depending upon variety. We carry a few of the old standbys as well as some of the latest in roses.

## NOTES



For any planting information please do not hesitate to ask us for it. If we cannot tell you the answer we can tell you where to go to obtain an answer to your questions. Below are listed a few items that might help you in selecting plant material.

## Plants for Shade

### DECIDUOUS TREES AND SHRUBS

Shadbush  
Cercis

Cornus  
Lonicera

Philadelphus  
Viburnum

### EVERGREENS

Azalea in variety  
Buxus

Ilex types  
Leucothoe

Pieris  
Rhododendron

Taxus  
Tsuga canadensis

### GROUND COVER PLANTS

Pachysandra  
Hedera helix

Vinca  
Euonymus radicans

## Plants for Hedges

### EVERGREEN

#### Tall

Barberry  
Julianae  
Chamaecyparis  
Picea  
Pine

Taxus hicksi  
Thuja tall varieties  
Tsuga canadensis

Abelia  
Azalea low varieties  
Buxus  
Ilex Microphylla

#### Low

Taxus cuspidata  
Taxus ovata  
Thuja dwarf variety

### Deciduous

#### Tall

Syringa  
Forsythia

#### Low

Deutzia gracilis  
Spirea vanhouttei

## The Azalea Handbook

published by

THE AMERICAN HORTICULTURAL SOCIETY

Written for the serious amateur by an Editorial Board composed of Frederic P. Lee, chairman, Dr. Fred O. Coe, B. Y. Morrison, Milo Perkins, and Freeman Weiss assisted by an Azalea Committee of distinguished horticulturists, taxonomists, plant breeders, plant propagators, plant pathologists, entomologists, nurserymen, and amateur growers.

About 148 pages, format of the National Horticultural Magazine, 44 illustrations, four in color. Red cloth, gold lettering. \$2.60 a copy P. P. a copy. Off the press in early April.

The Secretary,  
The American Horticultural Society,  
Washington Loan and Trust Building,  
Washington 4, D. C.

## Sale Conditions -- Read Carefully, Please, Before Ordering

**TRUENESS OF NAME**—Much time is spent checking labels, when plants are in bloom, to make certain that none are wrongly labeled, and every effort is made to keep the youngsters in their places, from propagation beds to field; but we raise thousands of plants in hundreds of varieties, and we could make mistakes. Should any prove untrue to name, please let us know, and we will do our best to correct the error.

**PLANT QUALITY**—We try our best to give you a plant that is well rooted, free of disease, and one that will meet your expectations, no matter what size your order calls for. We think we grow plants that are as good as the finest.

**NURSERY SELECTION**—If you are looking for something special in shape, or size, a visit to the nursery would be wise; you will be charged according to your selection only, not a premium.

**IT IS IMPOSSIBLE TO GUARANTEE THE LIFE** of any plant. No one has that control. We have no way of knowing the treatment they will receive after they leave us. Some plants are perfectly hardy here in our nurseries, but that may not prove true where the Winter or soil is different. Read carefully our

**CULTURAL DIRECTIONS.** We make severe tests and give little or no Winter protection to prove hardiness, especially among the newer introductions. Drought often causes death to plants, and we cannot guarantee against that.

**BREAKAGE EN ROUTE TO CUSTOMER**—We advise shipping only by Express Collect, except for the small plants. Plants arrive in better condition by this method. Once we have delivered shipment to Express Agent from whom you receive shipment. He will immediately file your claim for damages which occur while in transit. We assume no responsibility for any damage after delivery to carrier. We will ship by P. P. to nearby points on smaller plants in our special designed box with each plant fitting in its own compartment in a band of moist peat moss just as it has been growing. Railway Express on all plants over 6 inches.

**BALLED AND BURLAPPED PLANTS**—All our plants have a ball of peat that insures a healthy traveling condition, and it is not necessary to have them Balled and Burlapped.

**TERMS**—Please send cash, check, or money order with your order. Because of the perishable nature of the materials, no C. O. D. orders can be accepted. After your order has been placed, please do not ask us to change or cancel it. During the shipping season several thousand orders are handled, and it is impossible to look for any one particular order without spending hours of time. Please give us a few day's notice in our busy season, so we can have your order ready if you are calling for it at the Nursery. All orders are taken on the condition that we are not sold out when your order arrives. Please name some substitutes. We are not responsible for future orders booked with us if we have crop failures.

### AZALEA PRICE LIST

**ALL PLANTS PRICED AT THE NURSERY**—Packing, postage, express, or delivery at cost on all sizes over 4 inches. 2 to 4 inch size sent Post Paid East of the Mississippi.

	Prices per plant
2 to 4 inches, width, pruned once, available in Spring only _____	.50
4 to 6 inches, width, pruned twice _____	.90
6 to 8 inches, width, pruned thrice _____	1.25
8 to 10 inches, width, very heavy branched _____	1.75
10 to 12 inches, width, very heavy branched _____	2.25
12 to 15 inches, width, very heavy branched _____	3.00
15 to 18 inches, width, very heavy branched _____	4.00

All orders to be delivered in Maryland or D. C., add 2% Sales Tax.

**PLEASE NOTE:** on all orders of less than \$5.00 add .50 handling charge. Sizes available now listed under each variety, subject to prior sale.

The above prices apply to all Azaleas unless otherwise noted in catalog. As we do a cash with order business only, all packing is done free of charge. Shipped Express Collect. 2" to 4" plants P. P. Prepaid. Please add 10% West of Mississippi.

SEE NEXT PAGE FOR OUR SPECIAL  
OFFERS



## Special Azalea Collection Offers

Below we have made up several types and size of Azalea Collections to give you the best in plants available and also cover many varieties of our selection. These collections are designed to give you a maximum in variety of colors, and time of bloom at a minimum

of expense. Here is a chance to make a mass planting of Azaleas or to naturalize your woodland with growing beauty. You will not be disappointed. Orders taken for collections on Advance Notice. Available Spring Only after May 1st.

### Glenn Dale Azalea Collections

- 10 all different, 2 to 4 inch, width, once transplanted in a 2½" cypress band, labeled. (Offer No. A-53-1) 4.50 P. P.
- 20 all different, 2 to 4 inch, width, once transplanted in a 2½" cypress band, labeled (Offer No. A-53-2) 8:00 P. P.
- 40 all different, 2 to 4 inch, width, once transplanted in a 2½" cypress band, labeled. (Offer No. A-53-3) 15.50 P. P.

Following are a Few Glenn Dale Collections in larger sizes available Spring and Fall at anytime.

Shipped Express Collect, Packing Free

- 10 all different, 4 to 6 inch, width, twice transplanted, labeled. (Offer No. A-53-5) 8.00
- 25 all different, 4 to 6 inch, width, twice transplanted, labeled. (Offer No. A-53-6) 19.00
- 50 all different, 4 to 6 inch, width, twice transplanted, labeled. (Offer No. A-53-7) 35.00

### The Naturalizer Collection

Glenn Dales, Gables, Kurume Hybrids  
(All Hardy Varieties)

- 60 all different, 2 to 4 inch, width, once transplanted in a 2½" cypress band, labeled. (Offer No. A-53-4) 21.00 P. P.

### Landscape Collection Available Spring & Fall

- 10 all different, 10 to 12 inch, width, well budded plants, labeled. (Offer No. A-53-8) 21.25
- 25 all different, 10 to 12 inch, width, well budded plants, labeled. (Offer No. A-53-9) 54.00

All 2 to 4 inch plants shipped Prepaid East of Mississippi. Please Add 10% West of Mississippi.

Please Note Md. and D. C. Add 2% Sales Tax.

# ORDER BLANK FOR COLLECTIONS

Phone: Clarksville 650-J

## ORDER BLANK

Please use this order blank to help us and insure the correctness of your order

### TEN OAKS NURSERY & GARDENS, INC.

Nurserymen - Plantsmen  
Landscape Designers  
Clarksville, Maryland

Please Print Your Name and Address

Date \_\_\_\_\_

Call for \_\_\_\_\_

Ship Via \_\_\_\_\_

All Prepaid Plants are shipped to our best judgment.

Name \_\_\_\_\_

Street \_\_\_\_\_

Post Office \_\_\_\_\_

County \_\_\_\_\_ State \_\_\_\_\_

#### ABOUT OUR COLLECTION OFFERS

All our collections are picked with care in an effort to help you pick your plants which are confusing to some. The size and grade are of the same quality of plants used to fill orders of your choice. The economy involved in selecting and packing collections results in a saving of labor which we can pass on to you.

Ship to—  
If other than above \_\_\_\_\_

May we substitute similar varieties of equal or greater value? Yes \_\_\_\_\_ No \_\_\_\_\_

Quan.	Name	Each	Total	Quan.	Name	Each	Total
	Azaleas, Offer No. A-53-1	4.50			Forward		
	Azaleas, Offer No. A-53-2	8.00			Pest-Hex 5 lb. P.P. 8.65		
	Azaleas, Offer No. A-53-3	15.50			Pest-Hex 1 lb. P.P. 2.25		
	Azaleas, Offer No. A-53-4	21.00					
	Azaleas, Offer No. A-53-5	8.00					
	Azaleas, Offer No. A-53-6	19.00					
	Azaleas, Offer No. A-53-7	35.00					
	Azaleas, Offer No. A-53-8	21.25					
	Azaleas, Offer No. A-53-9	54.00					
	Azaleas, Offer No. A-53-10	4.50					
	Azaleas, Offer No. A-53-11	7.00					
	Azaleas, Offer No. A-53-12	4.50					
	Sub-Total				Please add .50 service charge to orders less than 5.00		.50
					Sub-Total		
					Total Amount of Plants		
					Add Sales Tax 2% Md., D. C.		
					West of Miss. add 10% on Offers		
					Total		

(OVER)

More Collection Offers & Terms



Phone: Clarksville 650-J

Quan.	Name	Each	Total	Quan.		Total
	Forward				Forward	
	Evergreen, Offer No. E-53-1	8.00			Chrysanthemum, Offer No. C-53-1	2.80
	Hemerocallis, Offer No. D-53-1	4.50			Chrysanthemum, Offer No. V-53-2	5.00
	Hemerocallis, Offer No. D-53-2	8.00			Pest-Hex 1 lb. P.P.	2.25
	Hemerocallis, Offer No. D-53-3	15.50			Pest-Hex 5 lb. P.P.	8.65
	Hemerocallis, Offer No. D-53-4	32.00				
	Hollies, Offer No. H-53-1	8.50				
	Hollies, Offer No. H-53-2	16.50				
	Orchids, Offer No. O-53-1	25.00				
	Orchids, Offer No. O-53-2	45.00				
	Orchids, Offer No. O-53-3	90.00				
	Rhododendron, Offer No. R-53-1	16.50				
	Rhododendron, Offer No. R-53-2	30.50				
	Taxus, Offer No. T-53-1	4.50				
	Taxus, Offer No. T-53-2	8.00				
	Sub-Total					
				Please add .50 service charge to orders less than 5.00		.50
				Total Amount of Plants		
				Add 2% Sales Tax Md., D. C.		
				West of Miss, add 10% on Offers		
				TOTAL		

#### TERMS OF DELIVERY

##### CASH WITH ORDER

As we do a cash with order business only, all packing is done free of charge. Plants shipped Express Collect, excepting 2 to 4 inch and 3 to 5 inch plants in 2½" Cypress bands which are shipped Prepaid in our specially designed box whereby each plant is supported and fits in its own individual compartment allowing it to grow in transit, as the plant itself is never disturbed. If the plants arrive in bad weather, no need to worry, just set in a cool shady location and keep watered.

A .50 service charge is made in orders of 5.00 or less to help defray the packing expense which well equal that charge.

This catalog cancels all previous prices.

All orders are accepted subject to prior sale.

Local Deliveries for customers living within approximately 30 miles of our Nursery on days we have deliveries in that direction and if the size of the order warrants it. Deliveries outside of 30 mile area at cost.

# ***THE NEW*** **PEST-HEX**





# THE NEW PEST-HEX

## It's AMAZING

Imagine a single, simple, spraying or dusting destroying *all* the bugs . . . and at the same time exterminating the leaf diseases too. The new PEST-HEX will do just that.

Most sprays and dusts are "selective". That means they will kill certain bugs or fungi, but won't kill others. The new PEST-HEX will kill them all.

Red spider, aphids, Japanese beetle and a host of others, as well as leaf diseases disappear as if by magic.


There is no messy mixing and measuring to do. It's simple to apply; just follow the instructions on the label.

PEST-HEX has a high residual quality; which means it doesn't evaporate or dissolve, and makes it effective for a long time after it has been applied. Rain will wash some off the plants to the ground; there it will continue to work destroying spores of leaf disease in the decaying vegetation. Effectiveness continues as

it slowly penetrates the soil destroying certain ground insects. Because of its high residual quality PEST-HEX is never wasted, but continues to do it's work as it washes from plants to the soil.

Some insects such as scales and borers cannot be reached by sprays or dusts during the time they are doing their greatest damage. But nearly all bugs of this class become flying or crawling insects at some time during the summer. By spraying or dusting lightly with PEST-HEX more often, and thus continuously having present a residue, these bugs will be killed when they reach the flying or crawling stage. They need not eat it . . . if they touch it they are doomed.

PEST-HEX is low in ph, making it safe for Azaleas, Rhododendrons, Pieris, Holly and other sour soil loving plants. It won't cause the usual spray discoloration in the leaves, and as it washes off the plants it will not sweeten the soil.







**PEST-HEX Is Safe To Use On . . .**

Rhododendrons	Broadleaved Evergreens
Azaleas	Deciduous Shrubs
Pieris	Ornamental Trees
Roses	Shade Trees
Coniferous Evergreens	Holly,

other flower garden plants

CONTAINS NO DDT

**The New PEST-HEX Kills . . .**

Red Spider	Holly Leaf Miners
Aphids	Grasshoppers
Eup. Red Mite	Flea Beetle
Jap. Beetle	Stink bug
Clover Mite	Leafroller caterpillars
Spruce Mite	White fly
Thrips	Psylids
Lace fly	Nematodes
Leaf Miners	Borers

Wireworms

Galls and other leaf chewing and sucking insects.  
Fungi on foliage and roots of fibre and ornamental plants, (Leafspot, blackspot, scab, flower blights, rhizoctonia and many other leaf diseases.)

**MANUFACTURED BY  
BLUE RIDGE FRUIT EXCHANGE  
WAYNESBORO, PA.**

**PEST-HEX**

**is packaged in**

**1 lb. CANNISTERS**

**5 lb. CANNISTERS**

**25 lb. DRUMS**

**50 lb. DRUMS**

**CONTACT YOUR DEALER TODAY**

TEN OAKS NERSBRY  
CLARKSVILLE, MD.


PKG. SIZE	POSTPAID
1 Lb.	\$ 2.25
5 Lb.	8.65

**MANUFACTURED BY  
BLUE RIDGE FRUIT EXCHANGE  
WAYNESBORO, PA.**

Members of:

- AMERICAN HORTICULTURAL SOCIETY
- AMERICAN ASSOCIATION OF NURSERYMEN
- AMERICAN RHODODENDRON SOCIETY
- MARYLAND NURSERYMEN'S ASSOCIATION
- AMERICAN ORCHID SOCIETY
- NATIONAL CAPITOL ORCHID SOCIETY
- THE UNIVERSITY OF WASHINGTON ARBORETUM

Phone — Clarksville 650-J





Directions for reaching  
TEN OAKS  
Inside Back Cover



**PLEASE NOTE  
BUSINESS HOURS**

8:30 to 5:00 P. M. Seven days a week  
in Spring and Fall. Closed Saturday  
and Sundays June 13th until September  
5th; December 5th until March  
6th.

**PLEASE OBSERVE**